

Trail Uses



Bicycling



l iki na



Equestrian



Dogs



No Motorized Vehicles

Point Pinole Road

Point Pinole Regional Park

Trail Length 1.5 mi (2.4 km)

N etwork trail

Does a view of the bay, access to play, picnic and fishing areas sound good to you? Then join the parade! This is a popular route for walkers, dog lovers, parents with strollers and bicycle enthusiasts.

Cumulative Gain 73ft (22 m) Elevation Change Loss 118 ft (36 m)



Typical Grade is 25%

17% of the trail is between 5% and 8% 1336 ft (407 m) is between 5% and 8% 8% grade is a standard ramp.



Typical Cross Slope is 2.5%

11% of the trail is between 5% and 14% 100 ft (30 m) is between 10% and 14%



Typical Tread Width is 160 in (407 cm)

Tread Width ranges from 106 in (269 cm) to 241 in (612 cm)



Trail Surface is Asphalt

100% of the trail is Paved 7697 ft (2346 m) of the trail is Paved

Trailhe ad Location

Trail Head accessed at the south end of the park, from the parking area.



Warning Trailconditions may have changed since this trail was assessed Temporary obstructions (e.g. fallent rees or land slides) may not have been mapped Maximum grades and cross slopes may vary.

Obstructions besithan 0.5 in (2.5 cm) or outside the tread area 120 in (3m) wide by 120 in (3m) high were not measured. Minimum dear an oe boundaries were at beast 0.5 in (2.5 cm) high.

This report has been generated by TiailWarew hich has been created by Beneficial Designs, Inc.

Point Pinole Road

Length 1.5 mi (2.4 km)

Networktrail



Bicycling



Hiking



Equestrian



Typical Grade 2.5%

17% of the trail is 5% to 8%

1336 ft (407 m) is 5% to 8% 8% grade is a standard ramp.



Typical Cross Slope 2.5%

11% of the trail is 5% to 14%

100 ft (30 m) is 10% to 14%



Typical Tread Width 160 in (407 cm)

Minimum 106 in (269 cm)

Maximum 241 in (612 cm)



Asphalt

100% is Paved

7697 ft (2346 m) is Paved



Trail Access Information



Warring: Trail conditions may have changed since thistrail wasassessed. Temporary dostructions(e.g. fallen trees or land slides) may not have been mapped. Maximum grades and crossslopes may vary.

This report is generated by TrailWare which has been created by Beneficial Designs Inc.

Aug 26, 05

Point Pinole Road

Point Pinole Regional Park Trail Access Information Summary

Trail Length 1.5 mi (2.4 km)

Networktrail

Cumulative Bevation Change

Gain 73ft (22m) Loss 118ft (36m)

Typical Grade is 2.5%

17% of the trail is between 5% and 8%
1336 ft (407 m) is between 5% and 8%
8% grade is a standard ramp.
Locations and lengths can be found on the Maximum Grade Table Reports

Typical Cross Slope is 2.5%

11% of the trail is between 5% and 14%
100 ft (30 m) is between 10% and 14%
Locations and lengths can be found in the Maximum X-Shipe Table Reports

Typical Tread Width is 160 in (407 cm)

Tread Width ranges from 106 in (269 cm) to 241 in (612 cm) Locations and lengths can be found on the Mnimum Tread Width Table and Mnimum Clearance Width Reports

Trail Surface is Asphalt

100% of the trail is Paved
7697 ft (2346 m) of the trail is Paved
Lengthof trailcanbef ound on the Surface Type Table and Surface Category Table Reports.

Obstructions

Locations and lengths can be found on the Minimum Vertical and Maximum Tread Obstructions Reports

Trail Uses

Bicycling Hikin g

Equestrian

Warring Trailconditions may have changed since this trail will as assessed Temporary obstructions (e.g. fallentness or land sides) may not have been mapped. Maximum grades and cross slopes may invary. Obstructions besithan 0.5 in (2.5 cm) or outsided the tread area 120 in (3 m) will deby 120 in (3 m) high will be rend measured. Minimum clearance boundaries will ereal least 0.5 in (2.5 cm) high.

page1

Aug 3,03

Aug 3,05

First Segment As sessed

Last Segment Assessed