

# Brooks Island Regional Shoreline

## Checklist of Wild Plants

### Sorted Alphabetically by Growth Form, Scientific Name



This is a comprehensive list of the wild plants reported to be found in Brooks Island Regional Shoreline. The plants are sorted alphabetically by growth form, then by scientific name. This list includes the common name, family, status, invasiveness rating, origin, longevity, habitat, and bloom dates. EBRPD plant names that have changed since the 1993 Jepson Manual are listed alphabetically in an appendix.

Column Heading	Description
✓	Checklist column for marking off the plants you observe
<b>Scientific Name</b>	According to <i>The Jepson Manual: Vascular Plants of California, Second Edition (JM2)</i> and <i>eFlora</i> ( <a href="http://ucjeps.berkeley.edu/IJM.html">ucjeps.berkeley.edu/IJM.html</a> )
<b>(JM93 if different)</b>	If the scientific name used in the 1993 edition of <i>The Jepson Manual (JM93)</i> is different, the change is noted as (JM93: xxx)
<b>Common Name</b>	According to <i>JM2</i> and other references (not standardized)
<b>Family</b>	Scientific family name according to <i>JM2</i> , abbreviated by replacing the “aceae” ending with “-” (ie. Asteraceae = Aster-)
<b>Status</b>	Special status rating (if any), listed in 3 categories, divided by vertical bars (‘ ’): <b>Federal/California (Fed./Calif.)   California Native Plant Society (CNPS)   East Bay chapter of the CNPS (EBCNPS)</b>  <b>Fed./Calif.:</b> FE = Fed. Endangered, FT = Fed. Threatened, CE = Calif. Endangered, CR = Calif. Rare  <b>CNPS</b> (online as of 2012-01-23): 1B = Rare, threatened or endangered in Calif, 3 = Review List, 4 = Watch List; 0.1 = Seriously endangered in California, 0.2 = Fairly endangered in California  <b>EBCNPS</b> (online as of 2012-01-23): *A = Statewide listed rare; A1 = 2 East Bay regions or less; A1x = extirpated; A2 = 3-5 regions; B = 6-9 regions; C = watch list
<b>Inv</b>	California Invasive Plant Council Inventory (Cal-IPCI) Invasiveness rating: H = High, L = Limited, M = Moderate, N = Native
<b>OL</b>	Origin and Longevity. Origin: N = Native, Z = naturalized or W = Waif; followed by Longevity: A = Annual, B = Biennial, P = Perennial, or a combination (ie. ZAB = naturalized annual or biennial)
<b>Habitat (Bloom)</b>	Habitat description (Bloom date range) according to <i>JM2</i> and other sources

This document is a compilation of field surveys submitted by various sources. Readers are encouraged to report any corrections (including probable misidentifications), additions, suggested improvements, or any other feedback by emailing the District Botanist (Wilde Legard, [wlegard@ebparks.org](mailto:wlegard@ebparks.org)). The latest version of this checklist can be found at: <http://www.ebparks.org/stewardship/plants/checklist>.

# Brooks Island Regional Shoreline Checklist of Wild Plants

Ferns & Horsetails	Grouped by Growth Form					Ferns & Horsetails
<i>Polypodium</i>	Sorted Alphabetically by Scientific Name					<i>Polypodium</i>
✓ Scientific Name (JM93 if different)	Common Name	Family	Status	Inv OL	Habitat (Bloom)	
<input type="radio"/> <i>Polypodium calirhiza</i>	Polypody Fern	Polypodi-	-   -   -	- NP	On plants, rocky cliffs or outcrops, roadcuts, often granitic or volcanic, rarely dunes -	
<input type="radio"/> <i>Agrostis pallens</i>	Dune Bent Grass	Po-	-   -   -	- NP	Common. Open meadows, woodland, forest, subalpine (Jun–Aug)	
<input type="radio"/> <i>Aira caryophyllea</i>	Silver Hair Grass	Po-	-   -   -	- ZA	Sandy soils, open or disturbed sites (Apr–Jun)	
<input type="radio"/> <i>Avena barbata</i>	Slender Wild Oat	Po-	-   -   -	M ZA	Disturbed sites (Mar–Jun)	
<input type="radio"/> <i>Briza minor</i>	Little Quaking Grass	Po-	-   -   -	- ZA	Shaded or moist, open sites (Apr–Jul)	
<input type="radio"/> <i>Bromus hordeaceus</i>	Soft Chess	Po-	-   -   -	L ZA	Fields, disturbed areas (Apr–Jul)	
<input type="radio"/> <i>Bromus madritensis subsp. rubens</i>	Red Brome	Po-	-   -   -	H ZA	Disturbed areas, roadsides (Mar–Jun)	
<input type="radio"/> <i>Carex praegracilis</i>	Freeway Sedge	Cyper-	-   -   C	- NP	Common. Often alkaline, ± moist places (Apr–Aug)	
<input type="radio"/> <i>Cortaderia jubata</i>	Hairy Pampas Grass	Po-	-   -   -	H ZP	Disturbed sites, many habitats, esp coastal (Sep–Feb)	
<input type="radio"/> <i>Distichlis spicata</i>	Salt Grass	Po-	-   -   -	- NP	Salt marshes, coastal dunes, moist, alkaline areas (Apr–Sep)	
<input type="radio"/> <i>Eleocharis sp.</i>	Spikerush	Cyper-	-   -   -	- NP	--	
<input type="radio"/> <i>Elymus condensatus (JM93: Leymus)</i>	Giant Wild-rye	Po-	-   -   -	- NP	Dry slopes, open woodland (Jun–Aug)	
<input type="radio"/> <i>Elymus glaucus subsp. glaucus</i>	Western Wild-rye	Po-	-   -   -	- NP	Open areas, chaparral, woodland, forest (Jun–Aug)	
<input type="radio"/> <i>Elymus triticoides (JM93: Leymus)</i>	Beardless Wild Rye	Po-	-   -   -	- NP	Dry to moist, often saline, meadows (Jun–Jul)	
<input type="radio"/> <i>Festuca bromoides (JM93: Vulpia)</i>	Brome Fescue	Po-	-   -   -	- ZA	Uncommon. Dry, disturbed places, coastal-sage scrub, chaparral (May–Jun)	
<input type="radio"/> <i>Festuca idahoensis</i>	Idaho Fescue	Po-	-   -   C	- NP	Dry, open or shady places (Jul–Sep)	
<input type="radio"/> <i>Festuca rubra</i>	Red Fescue	Po-	-   -   B	- NP	Sand dunes, grassland, subalpine forest (May–Jul)	
<input type="radio"/> <i>Hordeum brachyantherum subsp. brachyantherum</i>	Northern Barley	Po-	-   -   -	- NP	Meadows, pastures, streambanks (May–Aug)	
<input type="radio"/> <i>Juncus sp.</i>	Rush	Junc-	-   -   -	-	--	
<input type="radio"/> <i>Koeleria macrantha</i>	June Grass	Po-	-   -   C	- NP	Dry, open sites, clay to rocky soils, shrubland, woodland, conifer forest (May–Jul)	
<input type="radio"/> <i>Stipa pulchra (JM93: Nassella)</i>	Purple Needle Grass	Po-	-   -   C	- NP	Oak woodland, chaparral, grassland (Mar–Jun)	

Herbaceous <i>Achillea</i>	Grouped by Growth Form Sorted Alphabetically by Scientific Name					Herbaceous <i>Achillea</i>
✓ Scientific Name (JM93 if different)	Common Name	Family	Status	Inv OL	Habitat (Bloom)	
<input type="radio"/> <i>Achillea millefolium</i>	Yarrow	Aster-	-   -   -	- NP	Many habitats (Apr–Sep)	
<input type="radio"/> <i>Acmispon wrangelianus</i> (JM93: <i>Lotus</i> )	California Lotus	Fab-	-   -   -	- NA	Abundant. Coastal bluffs, chaparral, disturbed areas (Mar–Jun)	
<input type="radio"/> <i>Ambrosia chamissonis</i>	Beach Bur-sage	Aster-	-   -   A2	- NP	Beaches, dunes (Jul–Oct)	
<input type="radio"/> <i>Ambrosia psilostachya</i>	Western Ragweed	Aster-	-   -   -	- NP	Common. Roadsides, dry fields (Jun–Nov)	
<input type="radio"/> <i>Amsinckia intermedia</i> (JM93: <i>A. menziesii</i> var. <i>intermedia</i> )	Common Fiddleneck	Boragin-	-   -   -	- NA	Abundant. Open, generally disturbed places (Mar–Jun)	
<input type="radio"/> <i>Anagallis arvensis</i>	Scarlet Pimpernel	Myrsin-	-   -   -	- ZA	Common. Disturbed places, ocean beaches (Mar–May)	
<input type="radio"/> <i>Aphanes occidentalis</i>	Lady's Mantle	Ros-	-   -   -	- NA	Seasonally moist grassland, chaparral, woodland (Mar–May)	
<input type="radio"/> <i>Aristolochia californica</i>	Dutchman's Pipe	Aristolochi-	-   -   C	- NP	Streamsides, forest, chaparral (Jan–Apr)	
<input type="radio"/> <i>Artemisia douglasiana</i>	Mugwort	Aster-	-   -   -	- NP	Common. Open to shady areas, often in drainages (May–Nov)	
<input type="radio"/> <i>Aster</i> sp.	Aster	Aster-	-   -   -	- NP	- -	
<input type="radio"/> <i>Atriplex leucophylla</i>	Beach Saltbush	Chenopodi-	-   -   A2	- NP	Sandy soils, dunes (Apr–Oct)	
<input type="radio"/> <i>Atriplex prostrata</i> (JM93: <i>A. triangularis</i> )	Fat-hen	Chenopodi-	-   -   -	- NA	Wet places, marshes (Apr–Oct)	
<input type="radio"/> <i>Baccharis glutinosa</i> (JM93: <i>B. douglasii</i> )	Marsh Baccharis	Aster-	-   -   -	- NP	Coastal freshwater and saltwater marshes, streambanks (Jul–Oct)	
<input type="radio"/> <i>Bidens frondosa</i>	Sticktight	Aster-	-   -   B	- NA	Uncommon. Damp soil, esp disturbed sites (Jun–Oct)	
<input type="radio"/> <i>Brassica nigra</i>	Black Mustard	Brassic-	-   -   -	M ZA	Common. Disturbed areas, fields (Apr–Sep)	
<input type="radio"/> <i>Brassica rapa</i>	Turnip	Brassic-	-   -   -	L ZA	Disturbed areas (Jan–May)	
<input type="radio"/> <i>Cakile maritima</i>	Horned Sea Rocket	Brassic-	-   -   -	L ZA	Beach dunes (May–Nov)	
<input type="radio"/> <i>Calystegia</i> sp.	Morning-glory	Convolvul-	-   -   -	- NP	- -	
<input type="radio"/> <i>Calystegia subacaulis</i> subsp. <i>subacaulis</i>	Shortstem Morning-glory	Convolvul-	-   -   -	- NP	Dry, open scrub or woodland (Apr–Jun)	
<input type="radio"/> <i>Cardamine californica</i>	Milk Maids	Brassic-	-   -   -	- NP	Gen shaded sites, canyons, woodland. One of first spring flowers (Jan–May)	
<input type="radio"/> <i>Carduus pycnocephalus</i> subsp. <i>pycnocephalus</i> (JM93: no subsp.)	Italian Thistle	Aster-	-   -   -	M ZA	Roadsides, pastures, disturbed areas (Mar–Jul)	
<input type="radio"/> <i>Castilleja affinis</i> subsp. <i>affinis</i>	Common Indian Paintbrush	Orobanch-	-   -   -	- NP	Chaparral, coastal scrub (Mar–Jun)	
<input type="radio"/> <i>Cerastium glomeratum</i>	Sticky Mouse-ear Chickweed	Caryophyll-	-   -   -	- ZA	Dry hillsides, grassland, chaparral, disturbed areas (Spring)	
<input type="radio"/> <i>Chlorogalum pomeridianum</i> var. <i>pomeridianum</i>	Wavyleaf Soap Plant	Agav-	-   -   -	- NP	Common. Open grassland, chaparral, woodland (May–Aug)	
<input type="radio"/> <i>Cirsium quercetorum</i>	Brownie Thistle	Aster-	-   -   A2	- NP	Open places, grassland, woodland (Apr–Aug)	

<b>Herbaceous</b>	<b>Grouped by Growth Form</b>					<b>Herbaceous</b>
<b><i>Cirsium</i></b>	<b>Sorted Alphabetically by Scientific Name</b>					<b><i>Cirsium</i></b>
<b>✓ Scientific Name (JM93 if different)</b>	<b>Common Name</b>	<b>Family</b>	<b>Status</b>	<b>Inv OL</b>	<b>Habitat (Bloom)</b>	
<input type="radio"/> <i>Cirsium vulgare</i>	Bull Thistle	Aster-	-   -   -	M ZB	Common. Disturbed areas (May–Oct)	
<input type="radio"/> <i>Clarkia purpurea</i> subsp. ?	Winecup Clarkia	Onagr-	-   -   -	- NA	-	
<input type="radio"/> <i>Clarkia rubicunda</i>	Ruby Chalice Clarkia	Onagr-	-   -   -	- NA	Openings in woodland, forest, chaparral near coast (May–Aug)	
<input type="radio"/> <i>Claytonia perfoliata</i> subsp. <i>perfoliata</i>	Common Miner's Lettuce	Monti-	-   -   -	- NA	Vernally moist, often shady or disturbed sites (Jan–May)	
<input type="radio"/> <i>Cotula australis</i>	Australian Brass Buttons	Aster-	-   -   -	- ZP	Common. Disturbed areas (Jan–May)	
<input type="radio"/> <i>Cotula coronopifolia</i>	Brass-buttons	Aster-	-   -   -	L ZP	Common. Saline and freshwater marshes, mud flats (Mar–Dec)	
<input type="radio"/> <i>Crassula connata</i>	Pygmy-weed	Crassul-	-   -   -	- NA	Open areas (Feb–May)	
<input type="radio"/> <i>Cuscuta pacifica</i> var. <i>pacifica</i> (JM93: <i>C. salina</i> var. <i>major</i> )	Goldenthread	Convolvul-	-   -   B	- NA	Gen on Salicornia, Jaumea in coastal salt marshes, tidal flats (Jul–Oct)	
<input type="radio"/> <i>Cynara cardunculus</i> subsp. <i>flavescens</i> (JM93: no subsp.)	Artichoke Thistle	Aster-	-   -   -	M ZP	Disturbed places (Apr–Jul)	
<input type="radio"/> <i>Daucus pusillus</i>	Rattlesnake Weed	Api-	-   -   -	- NA	Rocky or sandy places (Apr–Jun)	
<input type="radio"/> <i>Deinandra corymbosa</i> (JM93: <i>Hemizonia</i> , subsp. <i>corymbosa</i> )	Coast Spikeweed	Aster-	-   -   A2	- NA	Grassland, openings in scrub or woodland, dunes, disturbed sites (Mar–Nov)	
<input type="radio"/> <i>Dichelostemma capitatum</i> subsp. <i>capitatum</i>	Blue Dicks	Themid-	-   -   -	- NP	Open woodland, scrub, desert, grassland (Mar–Jun)	
<input type="radio"/> <i>Dichelostemma</i> sp.	Blue Dicks/ookow	Themid-	-   -   -	- NP	-	
<input type="radio"/> <i>Dudleya cymosa</i> subsp. <i>paniculata</i>	Common / Hot Rock Dudleya	Crassul-	-   -   B	- NP	Uncommon. Rocky outcrops, canyons (May–Jun)	
<input type="radio"/> <i>Dudleya farinosa</i>	Powdery Dudleya	Crassul-	-   -   A1	- NP	Common: Coastal soils and cliffs (Jun–Aug)	
<input type="radio"/> <i>Eriogonum nudum</i> var. ?	Naked-stem Buckwheat	Polygon-	-   -   -	- NP	-	
<input type="radio"/> <i>Erodium cicutarium</i>	Redstem Filaree	Gerani-	-   -   -	L ZA	Open, disturbed sites, grassland, scrub (Feb–Sep)	
<input type="radio"/> <i>Erodium moschatum</i>	Greenstem Filaree	Gerani-	-   -   -	- ZA	Open, disturbed sites (Feb–Sep)	
<input type="radio"/> <i>Eschscholzia californica</i>	California Poppy	Papaver-	-   -   -	- NP	Grassy, open areas (Feb–Sep)	
<input type="radio"/> <i>Euphorbia peplus</i>	Petty Spurge	Euphorbi-	-   -   -	- ZA	Common. Disturbed areas (Feb–Aug)	
<input type="radio"/> <i>Foeniculum vulgare</i>	Fennel	Api-	-   -   -	H ZP	Roadsides, disturbed sites (May–Sep)	
<input type="radio"/> <i>Galium aparine</i>	Goose Grass	Rubi-	-   -   -	- NA	Grassy, ± shady places (Apr–Jun)	
<input type="radio"/> <i>Geranium dissectum</i>	Cut-leaved Geranium	Gerani-	-   -   -	M ZA	Open, disturbed sites (Mar–Jul)	
<input type="radio"/> <i>Geranium molle</i>	Hairy Dove's Foot Geranium	Gerani-	-   -   -	- ZA	Open to shaded sites, disturbed ground (Feb–Aug)	
<input type="radio"/> <i>Grindelia hirsutula</i> (JM93: var. <i>hirsutula</i> )	Hairy Gumplant	Aster-	-   -   C	- NP	Sandy, clay, or serpentine slopes or roadsides (Apr–Jun)	
<input type="radio"/> <i>Helminthotheca echioides</i> (JM93: <i>Picris</i> )	Bristly Ox-tongue	Aster-	-   -   -	L ZAB	Common. Disturbed areas (All year)	
<input type="radio"/> <i>Hirschfeldia incana</i>	Shortpod Mustard	Brassic-	-   -   -	M ZBP	Disturbed areas (Apr–Oct)	

Herbaceous <i>Horkelia</i>	Grouped by Growth Form Sorted Alphabetically by Scientific Name				Herbaceous <i>Horkelia</i>
✓ Scientific Name (JM93 if different)	Common Name	Family	Status	Inv OL	Habitat (Bloom)
<input type="radio"/> <i>Horkelia californica</i> var. <i>californica</i> (JM93: <i>subsp. californica</i> )	Few-lobed Calif. Horkelia	Ros-	-   -   A1	- NP	Grassy openings, edges of coastal scrub, especially on slopes (Mar–Sep)
<input type="radio"/> <i>Hypochaeris radicata</i>	Rough Cat's-ear	Aster-	-   -   -	M ZP	Disturbed areas, grassland, open woodland (Apr–Jul)
<input type="radio"/> <i>Iva axillaris</i> (JM93: <i>subsp. robustior</i> )	Poverty Weed	Aster-	-   -   -	- NP	Seasonally wet, saline habitats, roadsides (Apr–Oct)
<input type="radio"/> <i>Jaumea carnosa</i>	Fleshy Jaumea	Aster-	-   -   C	- NP	Coastal salt marshes, bases of sea cliffs (Apr–Dec)
<input type="radio"/> <i>Lactuca virosa</i>	Tall Wild Lettuce	Aster-	-   -   -	- ZB	Disturbed, shrubby and wooded slopes (Jun–Aug)
<input type="radio"/> <i>Lathyrus vestitus</i> var. <i>vestitus</i>	Pale Purple Pacific Pea	Fab-	-   -   -	- NP	North: Conifer forest. South: chaparral & oak woodland (Feb–Jul)
<input type="radio"/> <i>Lepidium latifolium</i>	Perennial Peppergrass	Brassic-	-   -   -	H ZP	Pastures, disturbed areas, fields, grassland, saline meadows, streambanks, sagebrush scrub, edge of marshes (Jun–Sep)
<input type="radio"/> <i>Limonium californicum</i>	Western Marsh-rosemary	Plumbagin-	-   -   B	- NP	Common; coastal dunes, salt marshes (Jul–Dec)
<input type="radio"/> <i>Logfia gallica</i> (JM93: <i>Filago</i> )	Daggerleaf Cottonrose	Aster-	-   -   -	- ZA	Bare or grassy openings, burns (Mar–Jul)
<input type="radio"/> <i>Lomatium californicum</i>	Celery Weed	Api-	-   -   B	- NP	Woodland, brushy slopes (Apr–Jun)
<input type="radio"/> <i>Lomatium caruifolium</i> var. <i>caruifolium</i>	Alkali Desertparsley	Api-	-   -   B	- NP	Wet, clay depressions, open grassland (Mar–May)
<input type="radio"/> <i>Lupinus succulentus</i>	Arroyo Lupine	Fab-	-   -   -	- NA	Abundant. Open or disturbed areas, often seeded on roadbanks (Feb–May)
<input type="radio"/> <i>Madia gracilis</i>	Gumweed	Aster-	-   -   -	- NA	Open, semi-shaded or disturbed sites, many habitats, incl serpentine (Apr–Aug)
<input type="radio"/> <i>Malva nicaeensis</i>	Bull Mallow	Malv-	-   -   -	- ZA	Disturbed places (Mar–Jun)
<input type="radio"/> <i>Malva pseudolavatera</i> (JM93: <i>Lavatera cretica</i> )	Cretan Mallow	Malv-	-   -   -	- ZAB	Uncommon. Disturbed places on coastal bluffs, dunes, occ inland (Apr–Jun)
<input type="radio"/> <i>Marah fabacea</i> (JM93: <i>M. fabaceus</i> )	California Man-root	Cucurbit-	-   -   -	- NP	Streamsides, washes, shrubby open areas (Feb–Apr)
<input type="radio"/> <i>Medicago polymorpha</i>	California Burclover	Fab-	-   -   -	L ZA	Common. Chaparral, oak woodland, streambanks, roadsides, disturbed areas (Mar–Jul)
<input type="radio"/> <i>Melilotus indicus</i> (JM93: <i>M. indica</i> )	Sourclover	Fab-	-   -   -	- ZAB	Open, disturbed areas (Apr–Oct)
<input type="radio"/> <i>Monardella villosa</i> subsp. <i>villosa</i> (JM93: <i>M. villosa</i> subsp. <i>villosa</i> , <i>globosa</i> , <i>M. antonina</i> subsp. <i>antonina</i> )	Coyote-mint	Lami-	-   -   -	- NP	Dry rocky slopes, oak woods, chaparral (May–Aug)
<input type="radio"/> <i>Oenothera elata</i> subsp. <i>hookeri</i>	Hooker Evening-primrose	Onagr-	-   -   B	- NB	Moist, coastal, slightly inland, sandy bluffs (Jun–Sep)
<input type="radio"/> <i>Oxalis pes-caprae</i>	Bermuda Buttercup	Oxalid-	-   -   -	M ZP	Disturbed areas, roadsides, grassland, dunes (Jan–May)
<input type="radio"/> <i>Perideridia</i> sp.	Yampah	Api-	-   -   -	- NP	- -

Herbaceous <i>Phacelia</i>	Grouped by Growth Form Sorted Alphabetically by Scientific Name				Herbaceous <i>Phacelia</i>
✓ Scientific Name (JM93 if different)	Common Name	Family	Status	Inv OL	Habitat (Bloom)
<input type="radio"/> <i>Phacelia californica</i>	California Phacelia	Boragin-	-   -   -	- NP	Bluffs, open slopes, road cuts, chaparral, woodland (Mar–Sep)
<input type="radio"/> <i>Phacelia distans</i>	Common Phacelia	Boragin-	-   -   -	- NA	Common. Clay to rocky soils, slopes (Mar–May)
<input type="radio"/> <i>Plantago erecta</i>	California Dwarf Plantain	Plantagin-	-   -   -	- NA	Sandy, clay, serpentine soil; grassy slopes, flats, open woodland (Mar–May)
<input type="radio"/> <i>Plantago lanceolata</i>	English Plantain	Plantagin-	-   -   -	L ZA	Common. Disturbed areas (Apr–Aug)
<input type="radio"/> <i>Polygonum aviculare subsp. depressum</i> (JM93: <i>P. arenastrum</i> )	Knotweed	Polygon-	-   -   -	- ZA	Disturbed places (May–Nov)
<input type="radio"/> <i>Pseudognaphalium californicum</i> (JM93: <i>Gnaphalium</i> )	California Everlasting	Aster-	-   -   -	- NB	Sandy canyons, dry hills, coastal chaparral (Apr–Jul)
<input type="radio"/> <i>Pseudognaphalium ramosissimum</i> (JM93: <i>Gnaphalium</i> )	Pink Everlasting	Aster-	-   -   -	- NB	Dry, open slopes, woodland, sandy fields, dunes (Jul–Sep)
<input type="radio"/> <i>Pseudognaphalium stramineum</i> (JM93: <i>Gnaphalium</i> )	Cotton-batting Plant	Aster-	-   -   -	- NA	Many habitats, dunes, chaparral slopes, roadsides (Mar–Aug)
<input type="radio"/> <i>Rumex acetosella</i>	Sheep Sorrel	Polygon-	-   -   -	M ZP	± Disturbed, often acidic places (Apr–Jul)
<input type="radio"/> <i>Rumex crispus</i>	Curly Dock	Polygon-	-   -   -	L ZP	Abundant. Disturbed places (All year)
<input type="radio"/> <i>Rumex pulcher</i>	Fiddle Dock	Polygon-	-   -   -	- ZP	Disturbed places, meadows, moist or dry habitats (May–Sep)
<input type="radio"/> <i>Rumex salicifolius</i> (JM93: var. <i>salicifolius</i> )	Thin-leaf Willow Dock	Polygon-	-   -   B	- NP	Wet places, margins, rocky slopes (May–Jul)
<input type="radio"/> <i>Salicornia pacifica</i> (JM93: <i>S. virginica</i> )	Pacific Pickleweed	Chenopodi-	-   -   -	- NP	Salt marshes, alkaline flats (Jul–Nov)
<input type="radio"/> <i>Salsola soda</i>	Fleshy Russian Thistle	Chenopodi-	-   -   -	M ZA	Uppermost intertidal zone, saline or muddy flats, open areas in salt marshes (Jul–Oct)
<input type="radio"/> <i>Sanicula bipinnatifida</i>	Purple Sanicle	Api-	-   -   -	- NP	Open grassland, gen on serpentine, or pine/oak woodland (Mar–May)
<input type="radio"/> <i>Sanicula crassicaulis</i>	Pacific Woodland Sanicle	Api-	-   -   -	- NP	Open slopes, ravines, woodland (Mar–May)
<input type="radio"/> <i>Scrophularia californica</i> (JM93: subsp. <i>californica</i> , <i>floribunda</i> )	California Figwort	Scrophulari-	-   -   -	- NP	Common; damp places, chaparral, roadsides (Mar–Jul)
<input type="radio"/> <i>Senecio vulgaris</i>	Common Groundsel	Aster-	-   -   -	- ZA	Common. Disturbed areas (Feb–Jul)
<input type="radio"/> <i>Sidalcea malviflora subsp. laciniata</i>	Geranium-leaved Checkerbloom	Malv-	-   -   C	- NP	Grassland, open woodland (Mar–Jun)
<input type="radio"/> <i>Sisymbrium officinale</i>	Hedge Mustard	Brassic-	-   -   -	- ZA	Disturbed areas, fields, pastures (Apr–Sep)
<input type="radio"/> <i>Sisyrinchium bellum</i>	Western Blue-eyed-grass	Irid-	-   -   -	- NP	Common. Open, gen moist, grassy areas, woodland (Mar–May)
<input type="radio"/> <i>Solanum nigrum</i>	Black Nightshade	Solan-	-   -   -	- ZA	Disturbed places (Mar–Oct)
<input type="radio"/> <i>Solanum sp.</i>	Nightshade	Solan-	-   -   -	- -	
<input type="radio"/> <i>Soliva sessilis</i>	Common Soliva	Aster-	-   -   -	- ZA	Disturbed areas, especially hard-packed paths (Apr–Jul)

Herbaceous <b>Sonchus</b>	<b>Grouped by Growth Form</b>					Herbaceous <b>Sonchus</b>
<b>Scientific Name (JM93 if different)</b>	<b>Common Name</b>	<b>Family</b>	<b>Status</b>	<b>Inv</b>	<b>OL</b>	<b>Habitat (Bloom)</b>
<input type="radio"/> <i>Sonchus asper</i> subsp. <i>asper</i>	Prickly Sow Thistle	Aster-	-   -   -	-	ZA	Common. Slightly moist disturbed sites, along streams (All year)
<input type="radio"/> <i>Sonchus oleraceus</i>	Common Sow Thistle	Aster-	-   -   -	-	ZA	Abundant. Disturbed places (All year)
<input type="radio"/> <i>Spergula arvensis</i> (JM93: subsp. <i>arvensis</i> )	Stickwort	Caryophyll-	-   -   -	-	ZA	Open slopes, pine woodland, sand dunes, fields, disturbed areas (Spring-early summer)
<input type="radio"/> <i>Spergularia</i> sp.	Sand-spurry	Caryophyll-	-   -   -	-	--	
<input type="radio"/> <i>Stachys rigida</i> var. <i>quercetorum</i> (JM93: <i>S. ajugoides</i> var. <i>rigida</i> )	Common Rigid Hedge-nettle	Lami-	-   -   -	-	NP	Moist to ± dry places (Mar-Oct)
<input type="radio"/> <i>Stellaria media</i>	Common Chickweed	Caryophyll-	-   -   -	-	ZA	Oak woodland, meadows, disturbed areas (Feb-Sep)
<input type="radio"/> <i>Symphyotrichum chilense</i> (JM93: <i>Aster chilensis</i> )	Common California Wild Aster	Aster-	-   -   -	-	NP	Grassland, salt marshes, disturbed places (Jun-Oct)
<input type="radio"/> <i>Tetragonia tetragonioides</i>	New Zealand Spinach	Aizo-	-   -   -	L	ZA	Common. Sand dunes, bluffs, margins of coastal wetlands (Apr-Sep)
<input type="radio"/> <i>Trifolium microcephalum</i>	Small-head Clover	Fab-	-   -   -	-	NA	Streambanks, moist, disturbed areas, roadsides, serpentine, conifer forest (Apr-Aug)
<input type="radio"/> <i>Trifolium microdon</i>	Thimble Clover	Fab-	-   -   -	-	NA	Common locally. Open, moist or dry, gen disturbed areas (Mar-Jun)
<input type="radio"/> <i>Trifolium willdenovii</i>	Tomcat Clover	Fab-	-   -   -	-	NA	Abundant. Disturbed, gen spring-moist, heavy soils, occas serpentine (Mar-Jun)
<input type="radio"/> <i>Triphysaria pusilla</i>	Dwarf Owl's Clover	Orobanch-	-   -   -	-	NA	Grassland (Apr-Jun)
<input type="radio"/> <i>Triteleia laxa</i>	Ithuriel's Spear	Themid-	-   -   -	-	NP	Common. Open forest, conifer or foothill woodland, grassland on clay soil (Apr-Jun)
<input type="radio"/> <i>Vicia americana</i> subsp. <i>americana</i> (JM93: var. <i>americana</i> )	American Vetch	Fab-	-   -   -	-	NP	Generally open, moist forest, along streams, disturbed areas (Mar-Jun)
<input type="radio"/> <i>Vicia sativa</i> subsp. <i>sativa</i>	Spring Vetch	Fab-	-   -   -	-	ZA	Roadsides, disturbed areas, grassland, open areas in oak and riparian woodlands (Mar-Jun)
<input type="radio"/> <i>Viola pedunculata</i>	Johnny-jump-up	Viol-	-   -   C	-	NP	Open, grassy slopes, hillsides, chaparral, oak woodland, gen full sun (Feb-Apr)
<input type="radio"/> <i>Wyethia angustifolia</i>	Narrow-leaved Mule's Ears	Aster-	-   -   -	-	NP	Grassland (Apr-Aug)

<b>Woody Acacia</b>	<b>Grouped by Growth Form Sorted Alphabetically by Scientific Name</b>					<b>Woody Acacia</b>
<b>✓ Scientific Name (JM93 if different)</b>	<b>Common Name</b>	<b>Family</b>	<b>Status</b>	<b>Inv OL</b>	<b>Habitat (Bloom)</b>	
<input type="radio"/> <i>Acacia sp.</i>	Acacia	Fab-	-   -   -	- ZP	--	
<input type="radio"/> <i>Aesculus californica</i>	California Buckeye	Sapind-	-   -   -	- NP	Dry slopes, canyons, borders of streams (May–Jun)	
<input type="radio"/> <i>Argyranthemum foeniculaceum</i>	Canary Islands Marguerite	Aster-	-   -   -	- ZP	Escape from cult in disturbed coastal areas (Mar–Aug)	
<input type="radio"/> <i>Artemisia californica</i>	California Sagebrush	Aster-	-   -   -	- NP	Coastal scrub, chaparral, open woodland (Aug–Nov)	
<input type="radio"/> <i>Baccharis pilularis subsp. consanguinea</i> (JM93: no subsp.)	Coyote Brush	Aster-	-   -   -	- NP	Coastal bluffs, woodland, grassland, disturbed sites, occ on serpentine (Jul–Dec)	
<input type="radio"/> <i>Carpobrotus chilensis</i>	Sea Fig	Aizo-	-   -   -	M ZP	Common on coastal sandy shores (All year)	
<input type="radio"/> <i>Carpobrotus edulis</i>	Freeway Iceplant	Aizo-	-   -   -	H ZP	Common. Many coastal habitats, esp. sand (All year)	
<input type="radio"/> <i>Eriophyllum staechadifolium</i>	Seaside Woolly Sunflower	Aster-	-   -   A2	- NP	Dunes, sea bluffs, coastal scrub, canyons (Apr–Sep)	
<input type="radio"/> <i>Grindelia stricta var. angustifolia</i>	Marsh Gumplant	Aster-	-   -   C	- NP	Tidal wetlands (May–Dec)	
<input type="radio"/> <i>Hesperocyparis macrocarpa</i> (JM93: <i>Cupressus</i> )	Monterey Cypress	Cupress-	-   -   -	N NP	Closed-cone-pine/cypress forests -	
<input type="radio"/> <i>Heteromeles arbutifolia</i>	Christmas Berry / Toyon	Ros-	-   -   -	- NP	Chaparral, oak woodland, mixed-evergreen forest ((May)Jun–Aug)	
<input type="radio"/> <i>Lupinus arboreus</i>	Yellow Bush Lupine	Fab-	-   -   A2	N NP	Coastal bluffs, dunes, or more inland (Apr–Jul)	
<input type="radio"/> <i>Phoenix canariensis</i>	Canary Island Date Palm	Arec-	-   -   -	L ZP	Uncommon. Near development, disturbed areas (Oct–Apr)	
<input type="radio"/> <i>Pinus radiata</i>	Monterey Pine	Pin-	-   -   -	- NP	Closed-cone-pine forest, oak woodland -	
<input type="radio"/> <i>Rosa californica</i>	California Rose	Ros-	-   -   -	- NP	Gen ± moist areas in sun, esp streambanks (Feb–Nov)	
<input type="radio"/> <i>Rosa sp.</i>	Rose	Ros-	-   -   -	- NP	--	
<input type="radio"/> <i>Rubus ursinus</i>	California Blackberry	Ros-	-   -   -	- NP	Open, disturbed areas (Mar–Jul)	
<input type="radio"/> <i>Salix laevigata</i>	Red Willow	Salic-	-   -   -	- NP	Common. Riverbanks, seepage areas, lakeshores, canyons (Dec–Jun)	
<input type="radio"/> <i>Salix sp.</i>	Willow	Salic-	-   -   -	- ?P	--	
<input type="radio"/> <i>Sambucus nigra subsp. caerulea</i> (JM93: <i>S. mexicana</i> )	Blue Elderberry	Adox-	-   -   -	- NP	Common. Streambanks, open places in forest (Mar–Sep)	
<input type="radio"/> <i>Toxicodendron diversilobum</i>	Western Poison Oak	Anacardi-	-   -   -	- NP	Canyons, slopes, chaparral, coastal scrub, oak woodland (Apr–Jun)	



---

## East Bay Regional Park District

### Wild Plant Name Changes

#### JM93 Scientific Name (JM2 name changes)

---

*Acer negundo* var. *californicum* (no var.)

*Adenostoma fasciculatum* (var. *fasciculatum*)

*Agoseris grandiflora* (var. *grandiflora*)

*Agoseris heterophylla* (var. *cryptopleura*)

*Agrostis viridis* (*Polypogon*)

*Alisma plantago-aquatica* (*A. triviale*)

*Amsinckia menziesii* var. *intermedia* (*A. intermedia*)

*Amsinckia menziesii* var. *menziesii* (no var.)

*Antirrhinum vexillo-calyculatum* ssp. *vexillo-calyculatum* (*A. vexillocalyculatum* subsp. *vexillocalyculatum*)

*Arabis breweri* var. *breweri* (*Boechera breweri* subsp. *breweri*)

*Arabis glabra* var. *glabra* (*Turritis glabra*)

*Arctostaphylos tomentosa* ssp. *crustacea* (*A. crustacea* subsp. *crustacea*)

*Aster chilensis* (*Symphyotrichum chilense*)

*Aster lentus* (*Symphyotrichum lentum*)

*Aster radulinus* (*Eurybia radulina*)

*Aster subulatus* var. *ligulatus* (*Symphyotrichum subulatum* var. *parviflorum*)

*Atriplex joaquiniana* (*A. joaquinana*)

*Atriplex lentiformis* ssp. *lentiformis* (no subsp.)

*Atriplex triangularis* (*A. prostrata*)

*Azolla mexicana* (*A. microphylla*)

*Baccharis douglasii* (*B. glutinosa*)

*Baccharis pilularis* (subsp. *consanguinea*)

*Baccharis salicifolia* (subsp. *salicifolia*)

*Balsamorhiza macrolepis* var. *macrolepis* (no var.)

*Blepharizonia plumosa* ssp. *plumosa* (no subsp.)

*Blepharizonia plumosa* ssp. *viscida* (*Blepharizonia laxa*)

*Boschniakia strobilacea* (*Kopsiopsis*)

*Bromus catharticus* (var. *catharticus*)

*Camissonia boothii* ssp. *decorticans* (*Eremothera*)

*Camissonia graciliflora* (*Tetrapteron graciliflorum*)

*Camissonia intermedia* (*Camissoniopsis*)

*Camissonia micrantha* (*Camissoniopsis*)

*Camissonia ovata* (*Taraxia*)

*Cardaria draba* (*Lepidium*)

*Carduus pycnocephalus* (subsp. *pycnocephalus*)

*Carex deweyana* ssp. *letopoda* (*C. letopoda*)

*Carex lanuginosa* (*C. pellita*)

*Carex ovalis* (*C. leporina*)

*Ceanothus thrysiflorus* (var. *thrysiflorus*)

*Centaurium davyi* (*Zeltnera*)

*Centaurium muehlenbergii* (*Zeltnera*)

*Cephalanthus occidentalis* var. *californicus* (no var.)

*Chamomilla suaveolens* (*Matricaria discoidea*)

*Chenopodium ambrosioides* (*Dysphania*)

*Chenopodium macrospermum* var. *halophilum* (no var.)

*Chenopodium multifidum* (*Dysphania multifida*)

*Chenopodium rubrum* (var. *rubrum*)

*Chrysothamnus nauseosus* ssp. *mohavensis* (*Ericameria nauseosa* var. *mohavensis*)

*Cirsium cymosum* (var. *cymosum*)

*Claytonia parviflora* ssp. *parviflora* (subsp. *utahensis*)

*Collinsia bartsifolia* var. *davidsonii* (var. *stricta*)

*Collinsia heterophylla* (var. *heterophylla*)

*Conyza bilbaoana* (*Erigeron sumatrensis*)

*Conyza bonariensis* (*Erigeron*)

*Conyza canadensis* (*Erigeron*)

*Conyza coulteri* (*Laennecia*)

*Corallorhiza maculata* (var. *maculata*)

*Cordylanthus mollis* ssp. *mollis* (*Chloropyron molle* subsp. *molle*)

*Coronopus didymus* (*Lepidium didymum*)

*Corylus cornuta* var. *californica* (subsp. *californica*)

*Cotoneaster pannosa* (*C. pannosus*)

*Cryptantha decipiens* (*C. rattanii*)

*Cryptantha intermedia* (var. *intermedia*)

*Cryptantha muricata* (var. *muricata*)

*Cryptantha torreyana* (var. *pumila*)

*Cupressus macrocarpa* (*Hesperocyparis*)

*Cuscuta salina* var. *major* (*C. pacifica* var. *pacifica*)

*Cynara cardunculus* (subsp. *flavescens*)

*Danthonia californica* var. *californica* (no var.)

*Dicentra chrysantha* (*Ehrendorferia*)

*Disporum hookeri* (*Prosartes*)

*Disporum smithii* (*Prosartes*)

*Draba cuneifolia* var. *integrifolia* (no var.)

*Duchesnea indica* (no var.)

*Epilobium pygmaeum* (*E. campestre*)

*Eragrostis curvula* var. *curvula* (no var.)

*Erechtites glomerata* (*Senecio glomeratus*)

*Erechtites minima* (*Senecio minimus*)

*Eremocarpus setigerus* (*Croton*)

*Erigeron philadelphicus* (var. *philadelphicus*)

*Eriogonum umbellatum* var. *bahiiforme* (var. *smallianum*)

*Eriophyllum lanatum* var. *achillaeoides* (var. *achilleoides*)

*Eryngium aristulatum* var. *aristulatum* (*E. jepsonii*)

## East Bay Regional Park District

### Wild Plant Name Changes

#### JM93 Scientific Name (JM2 name changes)

*Erysimum capitatum* var. *angustatum* (var. *capitatum*)

*Filago californica* (*Logfia filaginoides*)

*Filago gallica* (*Logfia*)

*Fritillaria affinis* var. *affinis* (no var.)

*Galium trifidum* var. *pacificum* (subsp. *columbianum*)

*Gastridium ventricosum* (*G. phleoides*)

*Gnaphalium bicolor* (*Pseudognaphalium biolettii*)

*Gnaphalium californicum* (*Pseudognaphalium*)

*Gnaphalium canescens* ssp. *beneolens*  
(*Pseudognaphalium beneolens*)

*Gnaphalium canescens* ssp. *microcephalum*  
(*Pseudognaphalium microcephalum*)

*Gnaphalium luteo-album* (*Pseudognaphalium luteoalbum*)

*Gnaphalium purpureum* (*Gamochaeta ustulata*)

*Gnaphalium ramosissimum* (*Pseudognaphalium*)

*Gnaphalium stramineum* (*Pseudognaphalium*)

*Grindelia camporum* var. *camporum* (no var.)

*Grindelia hirsutula* var. *davyi* (*G. camporum*)

*Grindelia hirsutula* var. *hirsutula* (no var.)

*Guillenia flavescens* (*Caulanthus*)

*Guillenia lasiophylla* (*Caulanthus lasiophyllus*)

*Hedera helix* ssp. *helix* (no subsp.)

*Heliotropium curassavicum* (var. *oculatum*)

*Hemizonia congesta* ssp. *congesta* (subsp. *lutescens*)

*Hemizonia corymbosa* ssp. *corymbosa* (*Deinandra corymbosa*)

*Hemizonia fitchii* (*Centromadia*)

*Hemizonia lobbii* (*Deinandra*)

*Hemizonia parryi* ssp. *congdonii* (*Centromadia*)

*Hemizonia parryi* ssp. *parryi* (*Centromadia*)

*Hemizonia pungens* ssp. *maritima* (*Centromadia pungens* subsp. *pungens*)

*Hemizonia pungens* ssp. *pungens* (*Centromadia*)

*Heracleum lanatum* (*H. maximum*)

*Herniaria hirsuta* ssp. *cinerea* (var. *cinerea*)

*Holodiscus discolor* (var. *discolor*)

*Hordeum jubatum* (subsp. *jubatum*)

*Horkelia californica* ssp. *californica* (var. *californica*)

*Horkelia californica* ssp. *dissita* (var. *elata*)

*Horkelia californica* ssp. *frondosa* (var. *frondosa*)

*Isopyrum occidentale* (*Enemion*)

*Iva axillaris* ssp. *robustior* (no subsp.)

*Juglans californica* var. *hindsii* (*J. hindsii*)

*Juncus balticus* (subsp. *ater*)

*Juncus effusus* var. *pacificus* (subsp. *pacificus*)

*Juncus lesueurii* (*J. lescurii*)

*Koeleria phleoides* (*K. gerardii*)

*Lagophylla ramosissima* ssp. *ramosissima* (no subsp.)

*Lasthenia californica* (subsp. *californica*)

*Lavatera cretica* (*Malva pseudolavatera*)

*Lepidium dictyotum* var. *dictyotum* (no var.)

*Lepidium latipes* var. *latipes* (no var.)

*Lepidium nitidum* var. *nitidum* (no var.)

*Lepidium nitidum* var. *oreganum* (no var.)

*Leptochloa fascicularis* (*L. fusca* subsp. *fascicularis*)

*Lessingia filaginifolia* var. *californica* (*Corethrogyne filaginifolia*)

*Lessingia filaginifolia* var. *filaginifolia*  
(*Corethrogyne filaginifolia*)

*Lewisia rediviva* (var. *rediviva*)

*Leymus condensatus* (*Elymus*)

*Leymus triticoides* (*Elymus*)

*Lilaea scilloides* (*Triglochin*)

*Limosella subulata* (*Limosella australis*)

*Linanthus acicularis* (*Leptosiphon*)

*Linanthus ambiguus* (*Leptosiphon*)

*Linanthus androsaceus* (*Leptosiphon*)

*Linanthus bicolor* (*Leptosiphon*)

*Linanthus ciliatus* (*Leptosiphon*)

*Linanthus dichotomus* (*Linanthus dichotomus* subsp. *dichotomus* or *meridianus*)

*Linanthus dichotomus* (*Linanthus dichotomus* subsp. *dichotomus* or *meridianus*)

*Linanthus parviflorus* (*Leptosiphon*)

*Linaria canadensis* (*Nuttallanthus texanus*)

*Lolium multiflorum* (*Festuca perennis*)

*Lolium perenne* (*Festuca perennis*)

*Lolium temulentum* (*Festuca temulenta*)

*Lonicera hispidula* var. *vacillans* (no var.)

*Lotus humistratus* (*Acmispon brachycarpus*)

*Lotus micranthus* (*Acmispon parviflorus*)

*Lotus purshianus* var. *purshianus* (*Acmispon americanus* var. *americanus*)

*Lotus scoparius* var. *scoparius* (*Acmispon glaber* var. *glaber*)

*Lotus strigosus* (*Acmispon*)

*Lotus wrangelianus* (*Acmispon*)

*Luzula comosa* (var. *comosa*)

*Madia madioides* (*Anisocarpus*)

*Malacothamnus fasciculatus* (var. *nuttallii*)

*Marah fabaceus* (*M. fabacea*)

*Marah oreganus* (*M. oregana*)

---

## East Bay Regional Park District

### Wild Plant Name Changes

#### JM93 Scientific Name (JM2 name changes)

---

*Melilotus alba* (*M. albus*)

*Melilotus indica* (*M. indicus*)

*Mentha spicata* var. *spicata* (no var.)

*Mimulus aurantiacus* (var. *aurantiacus*)

*Mirabilis californica* (*M. laevis* var. *crassifolia*)

*Monardella antonina* ssp. *antonina* (*M. villosa* subsp. *villosa*)

*Monardella douglasii* ssp. *douglasii* (no subsp.)

*Monardella villosa* ssp. *globosa* (subsp. *villosa*)

*Montia fontana* ssp. *chondrosperma* (no subsp.)

*Myrica californica* (*Morella*)

*Nassella cernua* (*Stipa*)

*Nassella lepida* (*Stipa*)

*Nassella pulchra* (*Stipa*)

*Osmorhiza chilensis* (*O. berteroi*)

*Oxalis albicans* ssp. *pilosa* (*O. pilosa*)

*Parvisedum pentandrum* (*Sedella pentandra*)

*Phacelia ramosissima* var. *latifolia* (no var.)

*Phacelia ramosissima* var. *ramosissima* (no var.)

*Phlox gracilis* (*Microsteris*)

*Phoradendron macrophyllum* (*P. serotinum* subsp. *macrophyllum*)

*Phoradendron villosum* (*P. serotinum* subsp. *tomentosum*)

*Phyla nodiflora* var. *incisa* (no var.)

*Phyla nodiflora* var. *nodiflora* (no var.)

*Picris echioides* (*Helminthotheca*)

*Piperia elegans* (subsp. *elegans*)

*Piptatherum miliaceum* (*Stipa miliacea* var. *miliacea*)

*Plagiobothrys canescens* (var. *canescens*)

*Plagiobothrys fulvus* (var. *campestris*)

*Plectritis brachystemon* (*P. congesta* subsp. *brachystemon*)

*Plectritis ciliosa* ssp. *ciliosa* (no subsp.)

*Plectritis ciliosa* ssp. *insignis* (no subsp.)

*Plectritis congesta* (subsp. *congesta*)

*Pleuropogon californicus* (var. *californicus*)

*Pluchea odorata* (var. *odorata*)

*Poa bulbosa* (subsp. *vivipara*)

*Polygonum amphibium* var. *emersum* (*Persicaria amphibia*)

*Polygonum amphibium* var. *stipulaceum* (*Persicaria amphibia*)

*Polygonum arenastrum* (*P. aviculare* subsp. *depressum*)

*Polygonum hydropiperoides* (*Persicaria*)

*Polygonum lapathifolium* (*Persicaria lapathifolia*)

*Polygonum persicaria* (*Persicaria maculosa*)

*Polygonum punctatum* (*Persicaria punctata*)

*Populus balsamifera* ssp. *trichocarpa* (*P. trichocarpa*)

*Potamogeton pectinatus* (*Stuckenia pectinata*)

*Potentilla glandulosa* ssp. *glandulosa* (*Drymocallis glandulosa* var. *glandulosa*)

*Psilocarphus tenellus* var. *tenellus* (no var.)

*Ranunculus aquatilis* var. *capillaceus* (var. *diffusus*)

*Ranunculus californicus* (var. *californicus*)

*Ranunculus canus* (var. *canus*)

*Ranunculus occidentalis* (var. *occidentalis*)

*Ranunculus sceleratus* (var. *sceleratus*)

*Rhamnus californica* ssp. *californica* (*Frangula*)

*Rhamnus tomentella* ssp. *tomentella* (*Frangula californica* subsp. *tomentella*)

*Rhus trilobata* (*R. aromatica*)

*Ribes menziesii* (var. *menziesii*)

*Rorippa nasturtium-aquaticum* (*Nasturtium officinale*)

*Rorippa palustris* var. *occidentalis* (subsp. *palustris*)

*Rosa gymnocarpa* (var. *gymnocarpa*)

*Rubus discolor* (*R. armeniacus*)

*Rumex maritimus* (*R. fueginus*)

*Rumex salicifolius* var. *crassus* (*R. crassus*)

*Rumex salicifolius* var. *salicifolius* (no var.)

*Rumex salicifolius* var. *transitorius* (*R. transitorius*)

*Salicornia europaea* (*S. depressa*)

*Salicornia subterminalis* (*Arthrocnemum subterminale*)

*Salicornia virginica* (*S. pacifica*)

*Salix exigua* (var. *hindsiana*)

*Salix lucida* ssp. *lasiandra* (*Salix lasiandra* var. *lasiandra*)

*Sambucus mexicana* (*S. nigra* subsp. *caerulea*)

*Satureja douglasii* (*Clinopodium*)

*Saxifraga californica* (*Micranthes*)

*Scirpus acutus* var. *occidentalis* (*Schoenoplectus*)

*Scirpus americanus* (*Schoenoplectus*)

*Scirpus californicus* (*Schoenoplectus*)

*Scirpus cernuus* (*Isolepis*)

*Scirpus maritimus* (*Bolboschoenus maritimus* subsp. *paludosus*)

*Scirpus robustus* (*Bolboschoenus*)

*Scrophularia californica* ssp. *californica* (no subsp.)

*Scrophularia californica* ssp. *floribunda* (no subsp.)

*Senecio breweri* (*Packera*)

*Senecio mikanioides* (*Delairea odorata*)

*Silene californica* (*S. laciniata* subsp. *californica*)

---

## East Bay Regional Park District

### Wild Plant Name Changes

#### JM93 Scientific Name (JM2 name changes)

---

*Smilacina racemosa* (*Maianthemum racemosum*)

*Smilacina stellata* (*Maianthemum stellatum*)

*Solidago californica* (*S. velutina* subsp. *californica*)

*Solidago canadensis* ssp. *elongata* (*S. elongata*)

*Sparganium erectum* ssp. *stoloniferum* (*S. eurycarpum* var. *greenii*)

*Sparganium eurycarpum* ssp. *eurycarpum* (var. *eurycarpum*)

*Spergula arvensis* ssp. *arvensis* (no subsp.)

*Spergularia media* ( var. *media*)

*Stachys ajugoides* var. *ajugoides* (no var.)

*Stachys ajugoides* var. *rigida* (*Stachys rigida* var. *quercetorum*)

*Streptanthus albidus* ssp. *peramoenus* (*S. glandulosus* subsp. *glandulosus*)

*Stylomecon heterophylla* (*Papaver heterophyllum*)

*Taeniatherum caput-medusae* (*Elymus*)

*Thysanocarpus laciniatus* (var. *laciniatus*)

*Tolmiea menziesii* (*T. diplomenziesii*)

*Trifolium albopurpureum* var. *albopurpureum* (no var.)

*Trifolium albopurpureum* var. *dichotomum* (*T. dichotomum*)

*Trifolium albopurpureum* var. *olivaceum* (*T. olivaceum*)

*Trifolium barbigerum* var. *andrewsii* (*T. grayi*)

*Trifolium barbigerum* var. *barbigerum* (no var.)

*Trifolium gracilentum* var. *gracilentum* (no var.)

*Vicia americana* var. *americana* (subsp. *americana*)

*Vicia ludoviciana* var. *ludoviciana* (subsp. *ludoviciana*)

*Viola adunca* (var. *adunca*)

*Vulpia bromoides* (*Festuca*)

*Vulpia microstachys* var. *ciliata* (*Festuca microstachys*)

*Vulpia microstachys* var. *confusa* (*Festuca microstachys*)

*Vulpia microstachys* var. *microstachys* (*Festuca microstachys*)

*Vulpia microstachys* var. *pauciflora* (*Festuca microstachys*)

*Vulpia myuros* var. *hirsuta* (*Festuca myuros*)

*Vulpia myuros* var. *myuros* (*Festuca myuros*)

*Vulpia octoflora* var. *hirtella* (*Festuca octoflora*)

*Vulpia octoflora* var. *octoflora* (*Festuca octoflora*)

*Zigadenus fremontii* (*Toxicoscordion*)