

Brushy Peak Regional Preserve

Checklist of Wild Plants

Sorted Alphabetically by Growth Form, Scientific Name



This is a comprehensive list of the wild plants reported to be found in Brushy Peak Regional Preserve. The plants are sorted alphabetically by growth form, then by scientific name. This list includes the common name, family, status, invasiveness rating, origin, longevity, habitat, and bloom dates. EBRPD plant names that have changed since the 1993 Jepson Manual are listed alphabetically in an appendix.

Column Heading	Description
✓	Checklist column for marking off the plants you observe
Scientific Name	According to <i>The Jepson Manual: Vascular Plants of California, Second Edition (JM2)</i> and <i>eFlora</i> (ucjeps.berkeley.edu/IJM.html)
(JM93 if different)	If the scientific name used in the 1993 edition of <i>The Jepson Manual (JM93)</i> is different, the change is noted as (JM93: xxx)
Common Name	According to <i>JM2</i> and other references (not standardized)
Family	Scientific family name according to <i>JM2</i> , abbreviated by replacing the “aceae” ending with “-” (ie. Asteraceae = Aster-)
Status	Special status rating (if any), listed in 3 categories, divided by vertical bars (‘ ’): Federal/California (Fed./Calif.) California Native Plant Society (CNPS) East Bay chapter of the CNPS (EBCNPS) Fed./Calif.: FE = Fed. Endangered, FT = Fed. Threatened, CE = Calif. Endangered, CR = Calif. Rare CNPS (online as of 2012-01-23): 1B = Rare, threatened or endangered in Calif, 3 = Review List, 4 = Watch List; 0.1 = Seriously endangered in California, 0.2 = Fairly endangered in California EBCNPS (online as of 2012-01-23): *A = Statewide listed rare; A1 = 2 East Bay regions or less; A1x = extirpated; A2 = 3-5 regions; B = 6-9
Inv	California Invasive Plant Council Inventory (Cal-IPCI) Invasiveness rating: H = High, L = Limited, M = Moderate, N = Native
OL	Origin and Longevity. Origin: N = Native, Z = naturalized or W = Waif; followed by Longevity: A = Annual, B = Biennial, P = Perennial, or a combination (ie. ZAB = naturalized annual or biennial)
Habitat (Bloom)	Habitat description (Bloom date range) according to <i>JM2</i> and other sources

This document is a compilation of field surveys submitted by various sources. Readers are encouraged to report any corrections (including probable misidentifications), additions, suggested improvements, or any other feedback by emailing the District Botanist (Wilde Legard, wlegard@ebparks.org). The latest version of this checklist can be found at: <http://www.ebparks.org/stewardship/plants/checklist>.

Brushy Peak Regional Preserve

Checklist of Wild Plants

Ferns & Horsetails		Grouped by Growth Form				Ferns & Horsetails
<i>Adiantum</i>		Sorted Alphabetically by Scientific Name				<i>Adiantum</i>
✓ Scientific Name (JM93 if different)	Common Name	Family	Status	Inv OL	Habitat (Bloom)	
<input type="radio"/> <i>Adiantum jordanii</i>	California Maidenhair	Pterid-	- - -	- NP	Shaded hillsides, moist woodland -	
<input type="radio"/> <i>Dryopteris arguta</i>	Coastal Wood Fern	Dryopterid-	- - -	- NP	Locally common. Open, wooded slopes, caves -	
<input type="radio"/> <i>Pellaea andromedifolia</i>	Coffee Fern	Pterid-	- - -	- NP	Generally rocky or dry areas -	
<input type="radio"/> <i>Pentagramma triangularis subsp. triangularis</i>	Goldenback Fern	Pterid-	- - -	- NP	Gen shaded, sometimes rocky or wooded areas -	
<input type="radio"/> <i>Polypodium calirhiza</i>	Polypody Fern	Polypodi-	- - -	- NP	On plants, rocky cliffs or outcrops, roadcuts, often granitic or volcanic, rarely dunes -	

Grasses & Grass-like <i>Alopecurus</i>	Grouped by Growth Form Sorted Alphabetically by Scientific Name				Grasses & Grass-like <i>Alopecurus</i>
✓ Scientific Name (JM93 if different)	Common Name	Family	Status	Inv OL	Habitat (Bloom)
<input type="radio"/> <i>Alopecurus saccatus</i>	Pacific Foxtail	Po-	- - B	- NA	Vernal pools, moist, open meadows (Mar–May)
<input type="radio"/> <i>Avena barbata</i>	Slender Wild Oat	Po-	- - -	M ZA	Disturbed sites (Mar–Jun)
<input type="radio"/> <i>Avena fatua</i>	Wild Oat	Po-	- - -	M ZA	Disturbed sites (Apr–Jun)
<input type="radio"/> <i>Bolboschoenus maritimus</i> subsp. <i>paludosus</i> (JM93: <i>Scirpus maritimus</i>)	Marine Bulrush	Cyper-	- - C	- NP	Common in CA. Brackish to saline coastal, inland marshes, shores (Summer)
<input type="radio"/> <i>Bolboschoenus robustus</i> (JM93: <i>Scirpus</i>)	Seacoast Bulrush	Cyper-	- - -	- NP	Brackish to saline coastal marshes (Summer)
<input type="radio"/> <i>Bromus carinatus</i> var. <i>carinatus</i>	California Brome	Po-	- - -	- NP	Coastal prairies, openings in chaparral, plains, open oak and pine woodland (Apr–Aug)
<input type="radio"/> <i>Bromus diandrus</i>	Ripgut Grass	Po-	- - -	M ZA	Open, gen disturbed areas (Apr–Jul)
<input type="radio"/> <i>Bromus hordeaceus</i>	Soft Chess	Po-	- - -	L ZA	Fields, disturbed areas (Apr–Jul)
<input type="radio"/> <i>Bromus madritensis</i> subsp. <i>madritensis</i>	Foxtail Chess	Po-	- - -	- ZA	Disturbed areas, roadsides (Apr–Jan)
<input type="radio"/> <i>Bromus madritensis</i> subsp. <i>rubens</i>	Red Brome	Po-	- - -	H ZA	Disturbed areas, roadsides (Mar–Jun)
<input type="radio"/> <i>Bromus sterilis</i>	Poverty Brome	Po-	- - -	- ZA	Open, disturbed areas (Mar–Jun)
<input type="radio"/> <i>Bromus tectorum</i>	Cheat Grass	Po-	- - -	H ZA	Open, disturbed areas (May–Aug)
<input type="radio"/> <i>Carex</i> sp.	Sedge	Cyper-	- - -	- -	
<input type="radio"/> <i>Cynodon dactylon</i>	Bermuda Grass	Po-	- - -	M ZP	Disturbed sites (Jun–Aug)
<input type="radio"/> <i>Cynosurus echinatus</i>	Bristly Dogtail Grass	Po-	- - -	M ZA	Open, disturbed sites (May–Jul)
<input type="radio"/> <i>Cyperus eragrostis</i>	Tall Nutsedge	Cyper-	- - -	- NP	Vernal pools, streambanks (May–Nov)
<input type="radio"/> <i>Danthonia californica</i> (JM93: var. <i>californica</i>)	California Oat Grass	Po-	- - C	- NP	Gen moist meadows, open woodland (Apr–Aug)
<input type="radio"/> <i>Deschampsia danthonioides</i>	Annual Hair Grass	Po-	- - C	- NA	Moist to drying, open sites, meadows, streambanks, vernal pools, occ alkali soil (Mar–Aug)
<input type="radio"/> <i>Distichlis spicata</i>	Salt Grass	Po-	- - -	- NP	Salt marshes, coastal dunes, moist, alkaline areas (Apr–Sep)
<input type="radio"/> <i>Echinochloa crus-galli</i>	Barnyard Grass	Po-	- - -	- ZA	Gen wet, disturbed sites, fields, roadsides (Jun–Oct)
<input type="radio"/> <i>Elymus caput-medusae</i> (JM93: <i>Taeniatherum</i>)	Medusa Head	Po-	- - -	H ZA	Disturbed areas (Apr–Jul)
<input type="radio"/> <i>Elymus glaucus</i> subsp. <i>glaucus</i>	Western Wild-rye	Po-	- - -	- NP	Open areas, chaparral, woodland, forest (Jun–Aug)
<input type="radio"/> <i>Elymus triticoides</i> (JM93: <i>Leymus</i>)	Beardless Wild Rye	Po-	- - -	- NP	Dry to moist, often saline, meadows (Jun–Jul)
<input type="radio"/> <i>Festuca bromoides</i> (JM93: <i>Vulpia</i>)	Brome Fescue	Po-	- - -	- ZA	Uncommon. Dry, disturbed places, coastal-sage scrub, chaparral (May–Jun)
<input type="radio"/> <i>Festuca myuros</i> (JM93: <i>Vulpia</i> , var. <i>hirsuta</i> , <i>myuros</i>)	Rattail Sixweeks Grass	Po-	- - -	- ZA	Common. Generally open places, sandy soils (Feb–May)
<input type="radio"/> <i>Festuca perennis</i> (JM93: <i>Lolium perenne</i> , <i>L. multiflorum</i>)	Rye Grass	Po-	- - -	- ZP	Dry to moist disturbed sites, abandoned fields (May–Sep)

Grasses & Grass-like <i>Hordeum</i>	Grouped by Growth Form Sorted Alphabetically by Scientific Name				Grasses & Grass-like <i>Hordeum</i>
✓ Scientific Name (JM93 if different)	Common Name	Family	Status	Inv OL	Habitat (Bloom)
<input type="radio"/> <i>Hordeum brachyantherum</i> subsp. ?	California / Meadow Barley	Po-	- - -	- NP	
<input type="radio"/> <i>Hordeum brachyantherum</i> subsp. <i>brachyantherum</i>	Northern Barley	Po-	- - -	- NP	Meadows, pastures, streambanks (May–Aug)
<input type="radio"/> <i>Hordeum depressum</i>	Low Barley	Po-	- - B	- NA	Moist sites, vernal pools, generally alkaline soils (Apr–May)
<input type="radio"/> <i>Hordeum jubatum</i> subsp. <i>jubatum</i> (JM93: no subsp.)	Foxtail Barley	Po-	- - B	- NAP	Roadsides, disturbed areas, meadows, marshes (May–Jul)
<input type="radio"/> <i>Hordeum marinum</i> subsp. <i>gussoneanum</i>	Mediterranean Barley	Po-	- - -	- ZA	Dry to moist, disturbed sites (Apr–Jun)
<input type="radio"/> <i>Hordeum murinum</i> subsp. <i>leporinum</i>	Hare Barley	Po-	- - -	- ZA	Moist, gen disturbed sites. Common (Feb–May)
<input type="radio"/> <i>Juncus balticus</i> subsp. <i>ater</i> (JM93: no subsp.)	Baltic Rush	Junc-	- - -	- NP	Moist to ± dry sites (Jul–Nov)
<input type="radio"/> <i>Juncus bufonius</i> var. ?	Toad Rush	Junc-	- - -	- NA	--
<input type="radio"/> <i>Juncus bufonius</i> var. <i>bufonius</i>	Toad Rush	Junc-	- - -	- NA	Damp sunny ground, gen disturbed (May–Sep)
<input type="radio"/> <i>Juncus bufonius</i> var. <i>congestus</i>	Clustered Toad Rush	Junc-	- - -	- NA	Drying pools, shores, disturbed ground, gen saline (Apr–Aug)
<input type="radio"/> <i>Juncus mexicanus</i>	Mexican Rush	Junc-	- - B	- NP	Common. Coast to montane meadows (Aug–Nov)
<input type="radio"/> <i>Juncus patens</i>	Spreading Rush	Junc-	- - -	- NP	Marshy places, creeks, seeps (Jun–Oct)
<input type="radio"/> <i>Juncus phaeocephalus</i> var. ?	Brownhead Rush	Junc-	- - -	- NP	--
<input type="radio"/> <i>Juncus phaeocephalus</i> var. <i>paniculatus</i>	Panicled Brownhead Rush	Junc-	- - C	- NP	Wet places, coastal, inland (Jun–Sep)
<input type="radio"/> <i>Juncus</i> sp.	Rush	Junc-	- - -	-	--
<input type="radio"/> <i>Juncus xiphioides</i>	Iris-leaved Rush	Junc-	- - -	- NP	Wet places (Jul–Oct)
<input type="radio"/> <i>Koeleria macrantha</i>	June Grass	Po-	- - C	- NP	Dry, open sites, clay to rocky soils, shrubland, woodland, conifer forest (May–Jul)
<input type="radio"/> <i>Leptochloa fusca</i> subsp. <i>fascicularis</i> (JM93: <i>L. fascicularis</i>)	Bearded Sprangletop	Po-	- - A2	- NA	Marshes, wetlands, often wet disturbed areas, often associated with agriculture (Jun–Oct)
<input type="radio"/> <i>Leptochloa fusca</i> subsp. <i>uninervia</i> (JM93: <i>L. uninervia</i>)	Mexican Sprangletop	Po-	- - -	- ZA	Ditches, drying ponds, disturbed wet areas (Mar–Dec)
<input type="radio"/> <i>Melica californica</i>	California Melic	Po-	- - C	- NP	Open or rocky hillsides, oak woodland, conifer forest (Apr–May)
<input type="radio"/> <i>Parapholis incurva</i>	Sickle Grass	Po-	- - -	- ZA	Disturbed, well drained soils of salt marshes, generally above highest tide level (Apr–Jun)
<input type="radio"/> <i>Pleuropogon californicus</i> var. <i>californicus</i> (JM93: no var.)	California Semaphore Grass	Po-	- - B	- NA	Wet places, vernal pools, wet grassland (Mar–Jun)
<input type="radio"/> <i>Poa annua</i>	Annual Blue Grass	Po-	- - -	- ZA	Abundant. Disturbed moist ground (Feb–Sep)
<input type="radio"/> <i>Poa secunda</i> subsp. <i>secunda</i>	One-sided Blue Grass	Po-	- - -	- NP	Common. Dry slopes to saline/alkaline meadows to alpine (Mar–Aug)
<input type="radio"/> <i>Polypogon interruptus</i>	Ditch Beard Grass	Po-	- - -	- ZP	Common. Streambanks (May–Aug)

Grasses & Grass-like <i>Polypogon</i>	Grouped by Growth Form Sorted Alphabetically by Scientific Name				Grasses & Grass-like <i>Polypogon</i>	
✓ Scientific Name (JM93 if different)	Common Name	Family	Status	Inv	OL	Habitat (Bloom)
<input type="radio"/> <i>Polypogon monspeliensis</i>	Rabbitfoot Grass	Po-	- - -	L	ZA	Moist places, along streams (Apr–Aug)
<input type="radio"/> <i>Puccinellia nuttalliana</i>	Nuttall Alkali Grass	Po-	- - A1	-	NP	Saline meadows (Jun–Sep)
<input type="radio"/> <i>Puccinellia simplex</i>	California Alkali Grass	Po-	- - A2	-	NA	Saline flats, mineral springs (Mar–May)
<input type="radio"/> <i>Sporobolus airoides</i>	Alkali Sacaton	Po-	- - A2	-	NP	Seasonally moist, alkaline areas (Apr–Oct)
<input type="radio"/> <i>Stipa pulchra</i> (JM93: <i>Nassella</i>)	Purple Needle Grass	Po-	- - C	-	NP	Oak woodland, chaparral, grassland (Mar–Jun)
<input type="radio"/> <i>Triglochin maritima</i>	Common Arrow-grass	Juncagin-	- - C	-	NP	Coastal salt marshes, interior saline, brackish, alkaline marshes (Apr–Aug)
<input type="radio"/> <i>Triglochin scilloides</i> (JM93: <i>Lilaea</i>)	Flowering-quillwort	Juncagin-	- - C	-	NA	Vernal pools, streams, ponds, lake margins (Mar–Oct)
<input type="radio"/> <i>Typha angustifolia</i>	Narrow-leaved Cattail	Typh-	- - -	-	NP	Nutrient-rich freshwater to brackish marshes, wet disturbed places (May–Aug)
<input type="radio"/> <i>Typha domingensis</i>	Southern Cattail	Typh-	- - -	-	NP	Nutrient-rich freshwater to brackish marshes, wet disturbed places (Jun–Jul)
<input type="radio"/> <i>Typha latifolia</i>	Broad-leaved Cattail	Typh-	- - -	-	NP	Unpolluted to nutrient-rich freshwater (brackish) marshes (Jun–Jul)

Herbaceous <i>Achillea</i>	Grouped by Growth Form Sorted Alphabetically by Scientific Name				Herbaceous <i>Achillea</i>
✓ Scientific Name (JM93 if different)	Common Name	Family	Status	Inv OL	Habitat (Bloom)
<input type="radio"/> <i>Achillea millefolium</i>	Yarrow	Aster-	- - -	- NP	Many habitats (Apr–Sep)
<input type="radio"/> <i>Achyraea mollis</i>	Blow Wives	Aster-	- - -	- NA	Common. Grassy sites, often clay soils (Mar–Jun)
<input type="radio"/> <i>Acmispon brachycarpus</i> (JM93: <i>Lotus humistratus</i>)	Colchita	Fab-	- - -	- NA	Abundant. Grassland, oak and pine woodland, desert flats and mtns, roadsides (Mar–Jun)
<input type="radio"/> <i>Acmispon or Hosackia sp.</i> (JM93: <i>Lotus sp.</i>)	Lotus	Fab-	- - -	- --	
<input type="radio"/> <i>Acmispon parviflorus</i> (JM93: <i>Lotus micranthus</i>)	Small-flower Lotus	Fab-	- - -	- NA	Abundant. Coastal bluffs to oak/pine or fir woodland, open or disturbed areas (Mar–May)
<input type="radio"/> <i>Acmispon wrangelianus</i> (JM93: <i>Lotus</i>)	California Lotus	Fab-	- - -	- NA	Abundant. Coastal bluffs, chaparral, disturbed areas (Mar–Jun)
<input type="radio"/> <i>Agoseris grandiflora</i> var. <i>grandiflora</i> (JM93: no var.)	Giant Native Dandelion	Aster-	- - -	- NP	Grassland, scrub, woodland (Apr–Jul)
<input type="radio"/> <i>Agoseris heterophylla</i> var. <i>cryptopleura</i> (JM93: no var.)	Annual Native Dandelion	Aster-	- - -	- NA	Many open habitats (May–Jun)
<input type="radio"/> <i>Allium serra</i>	Jeweled Onion	Alli-	- - -	- NP	Common. Grassy slopes (Apr–May)
<input type="radio"/> <i>Amsinckia intermedia</i> (JM93: <i>A. menziesii</i> var. <i>intermedia</i>)	Common Fiddleneck	Boragin-	- - -	- NA	Abundant. Open, generally disturbed places (Mar–Jun)
<input type="radio"/> <i>Amsinckia menziesii</i> (JM93: var. <i>menziesii</i>)	Small-flowered Fiddleneck	Boragin-	- - -	- NA	Shade-tolerant, open, disturbed areas at forest/woodland edges (May–Jul)
<input type="radio"/> <i>Anagallis arvensis</i>	Scarlet Pimpernel	Myrsin-	- - -	- ZA	Common. Disturbed places, ocean beaches (Mar–May)
<input type="radio"/> <i>Anaphalis margaritacea</i>	Pearly Everlasting	Aster-	- - -	- NP	Woodland, disturbed places (Jul–Oct)
<input type="radio"/> <i>Anemopsis californica</i>	Yerba Mansa	Saurur-	- - B	- NP	Common. Saline or alkaline soil, wet or moist areas, seeps, springs (Mar–Sep)
<input type="radio"/> <i>Anthemis cotula</i>	Mayweed	Aster-	- - -	- ZA	Common. Disturbed areas, fields, coastal dunes, chaparral, oak woodland (Apr–Aug)
<input type="radio"/> <i>Anthriscus caucalis</i>	Bur-chervil	Api-	- - -	- ZA	Generally shady places (Apr–Jun)
<input type="radio"/> <i>Aphanes occidentalis</i>	Lady's Mantle	Ros-	- - -	- NA	Seasonally moist grassland, chaparral, woodland (Mar–May)
<input type="radio"/> <i>Artemisia douglasiana</i>	Mugwort	Aster-	- - -	- NP	Common. Open to shady areas, often in drainages (May–Nov)
<input type="radio"/> <i>Asclepias fascicularis</i>	Narrow-leaf Milkweed	Apocyn-	- - -	- NP	Dry ground, valleys, foothills (May–Oct)
<input type="radio"/> <i>Asparagus officinalis</i> subsp. <i>officinalis</i>	Garden Asparagus	Lili-	- - -	- ZP	Disturbed places, roadsides, fields (Mar–Sep)
<input type="radio"/> <i>Astragalus asymmetricus</i>	San Juaquin Milkvetch	Fab-	- - B	- NP	Grassy areas, open woodland, disturbed sites (Apr–Jul)
<input type="radio"/> <i>Astragalus gambelianus</i>	Gambel Milkvetch	Fab-	- - -	- NA	Open, grassy areas, scrub (Mar–Jul)

Herbaceous <i>Athysanus</i>	Grouped by Growth Form Sorted Alphabetically by Scientific Name				Herbaceous <i>Athysanus</i>
✓ Scientific Name (JM93 if different)	Common Name	Family	Status	Inv OL	Habitat (Bloom)
<input type="radio"/> <i>Athysanus pusillus</i>	Dwarf Sandweed	Brassic-	- - -	- NA	Grassy, open slopes, rocky outcrops, chaparral, flats, floodplains, cliffs, ledges (Feb–Jun)
<input type="radio"/> <i>Atriplex cordulata</i>	Heartscale	Chenopodi-	- 1B.2 *A1	- NA	Saline or alkaline soils (Jun–Jul)
<input type="radio"/> <i>Atriplex coronata</i> var. <i>coronata</i>	Crownscale	Chenopodi-	- 4.2 *A2	- NA	Fine, alkaline soils (Mar–Oct)
<input type="radio"/> <i>Atriplex depressa</i>	Brittlescale	Chenopodi-	- 1B.2 *A2	- NA	Alkaline or clay soils (Jun–Oct)
<input type="radio"/> <i>Atriplex joaquinana</i> (JM93: <i>A. joaquiniana</i>)	San Joaquin Spearscale	Chenopodi-	- 1B.2 *A2	- NA	Alkaline soils (Apr–Sep)
<input type="radio"/> <i>Atriplex prostrata</i> (JM93: <i>A. triangularis</i>)	Fat-hen	Chenopodi-	- - -	- NA	Wet places, marshes (Apr–Oct)
<input type="radio"/> <i>Atriplex</i> sp.	Saltbush / Orach	Chenopodi-	- - -	- -	- -
<input type="radio"/> <i>Bellardia trixago</i>	Mediterranean Linseed	Orobanch-	- - -	L ZA	Disturbed grassland. (Apr–Jun)
<input type="radio"/> <i>Blennosperma nanum</i> var. <i>nanum</i>	Glue-seed	Aster-	- - C	- NA	Open, grassy areas, often margins of seeps or vernal pools (Jan–May)
<input type="radio"/> <i>Bowlesia incana</i>	Bowlesia	Api-	- - -	- NA	Shade of trees, rocks, shrubs (Mar–Apr)
<input type="radio"/> <i>Brassica nigra</i>	Black Mustard	Brassic-	- - -	M ZA	Common. Disturbed areas, fields (Apr–Sep)
<input type="radio"/> <i>Brassica rapa</i>	Turnip	Brassic-	- - -	L ZA	Disturbed areas (Jan–May)
<input type="radio"/> <i>Brodiaea elegans</i> subsp. <i>elegans</i>	Harvest Brodiaea	Themid-	- - -	- NP	Grassland, meadows, open woodland, chaparral, occasionally serpentine (Apr–Aug)
<input type="radio"/> <i>Calandrinia ciliata</i>	Red Maids	Monti-	- - -	- NA	Common. Sandy to loamy soil, grassy areas, cult fields (Feb–May)
<input type="radio"/> <i>Calochortus albus</i>	White Globe Lily	Lili-	- - -	- NP	Common. Shady to open woodland, scrub (Apr–Jun)
<input type="radio"/> <i>Calochortus argillosus</i>	Clay Mariposa Lily	Lili-	- - -	- NP	Hard clay from volcanic or metamorphic rocks (Apr–Jun)
<input type="radio"/> <i>Calochortus venustus</i>	White Butterfly Mariposa Lily	Lili-	- - B	- NP	Sandy (often granitic) soil in grassland, woodland, yellow-pine forest (May–Jul)
<input type="radio"/> <i>Calystegia purpurata</i> subsp. <i>purpurata</i>	Climbing Morning-glory	Convolvul-	- - -	- NP	Chaparral, coastal scrub (May–Jun)
<input type="radio"/> <i>Calystegia subacaulis</i> subsp. <i>subacaulis</i>	Shortstem Morning-glory	Convolvul-	- - -	- NP	Dry, open scrub or woodland (Apr–Jun)
<input type="radio"/> <i>Capsella bursa-pastoris</i>	Shepherd's Purse	Brassic-	- - -	- ZA	Disturbed areas (Jan–Oct)
<input type="radio"/> <i>Cardamine oligosperma</i>	Western Bitter-cress	Brassic-	- - -	- NA	Wet meadows, shady banks, damp areas (Mar–Jul)
<input type="radio"/> <i>Carduus pycnocephalus</i> subsp. <i>pycnocephalus</i> (JM93: no subsp.)	Italian Thistle	Aster-	- - -	M ZA	Roadsides, pastures, disturbed areas (Mar–Jul)
<input type="radio"/> <i>Carduus tenuiflorus</i>	Slender Flower Thistle	Aster-	- - -	L ZAB	Roadsides, pastures, disturbed areas (Apr–Jun)
<input type="radio"/> <i>Castilleja attenuata</i>	Valley Tassels	Orobanch-	- - -	- NA	Grassland (Mar–May)
<input type="radio"/> <i>Castilleja exserta</i> subsp. <i>exserta</i>	Purple Owl's-clover	Orobanch-	- - -	- NA	Open fields, grassland (Mar–May)
<input type="radio"/> <i>Centaurea calcitrapa</i>	Purple Star-thistle	Aster-	- - -	M ZAB	Pastures, disturbed places (Apr–Nov)
<input type="radio"/> <i>Centaurea melitensis</i>	Tocalote	Aster-	- - -	M ZA	Disturbed fields, open woodland (Apr–Jul)

Herbaceous <i>Centaurea</i>	Grouped by Growth Form Sorted Alphabetically by Scientific Name					Herbaceous <i>Centaurea</i>
✓ Scientific Name (JM93 if different)	Common Name	Family	Status	Inv OL	Habitat (Bloom)	
<input type="radio"/> <i>Centaurea solstitialis</i>	Yellow Star-thistle	Aster-	- - -	H ZA	Invasive, roadsides, disturbed grassland or woodland (May–Oct)	
<input type="radio"/> <i>Centromadia pungens subsp. pungens</i> (JM93: <i>Hemizonia, subsp. maritima, pungens</i>)	Common Spikeweed	Aster-	- - -	- NA	Grassland, saltbush scrub, disturbed sites (Apr–Nov)	
<input type="radio"/> <i>Cerastium fontanum subsp. vulgare</i>	Large Mouse-ear Chickweed	Caryophyll-	- - -	- ZA	Disturbed areas, grassy slopes, damp woodland, marshy ground (Spring)	
<input type="radio"/> <i>Cerastium glomeratum</i>	Sticky Mouse-ear Chickweed	Caryophyll-	- - -	- ZA	Dry hillsides, grassland, chaparral, disturbed areas (Spring)	
<input type="radio"/> <i>Chenopodium album</i>	Lamb's Quarters	Chenopodi-	- - -	- ZA	Common. Disturbed areas, fields (Jun–Oct)	
<input type="radio"/> <i>Chenopodium murale</i>	Wall Goosefoot	Chenopodi-	- - -	- ZA	Common. Disturbed areas, fields (All year)	
<input type="radio"/> <i>Chenopodium sp.</i>	Goosefoot	Chenopodi-	- - -	- -		
<input type="radio"/> <i>Chlorogalum pomeridianum var. pomeridianum</i>	Wavyleaf Soap Plant	Agav-	- - -	- NP	Common. Open grassland, chaparral, woodland (May–Aug)	
<input type="radio"/> <i>Cirsium occidentale var. venustum</i>	Venus Thistle	Aster-	- - -	- NB	Disturbed areas, grassland, woodland (May–Jul)	
<input type="radio"/> <i>Cirsium vulgare</i>	Bull Thistle	Aster-	- - -	M ZB	Common. Disturbed areas (May–Oct)	
<input type="radio"/> <i>Clarkia affinis</i>	Small Clarkia	Onagr-	- - C	- NA	Openings in woodland, chaparral (May–Jun)	
<input type="radio"/> <i>Clarkia gracilis subsp. gracilis</i>	Herald-of-summer	Onagr-	- - B	- NA	Common. Openings in woodland, forest (Apr–Jul)	
<input type="radio"/> <i>Clarkia purpurea subsp. ?</i>	Winecup Clarkia	Onagr-	- - -	- NA	-	
<input type="radio"/> <i>Clarkia purpurea subsp. quadrivulnera</i>	Four-spot	Onagr-	- - -	- NA	Common. Open, grassy or shrubby places (Apr–Aug)	
<input type="radio"/> <i>Clarkia sp.</i>	Clarkia	Onagr-	- - -	- NA	-	
<input type="radio"/> <i>Claytonia parviflora subsp. ?</i>	Miner's Lettuce	Monti-	- - -	- NA	-	
<input type="radio"/> <i>Claytonia parviflora subsp. utahensis</i> (JM93: <i>subsp. parviflora</i>)	Small-flower Claytonia	Monti-	- - -	- NA	Rock crevices, alluvial fans, boulder fields (Apr–Jul)	
<input type="radio"/> <i>Collinsia heterophylla var. heterophylla</i> (JM93: <i>no var.</i>)	Chinese-houses	Plantagin-	- - -	- NA	Shady places in chaparral, open mixed woodland, oak woodland (Mar–Jun)	
<input type="radio"/> <i>Collinsia sparsiflora var. ?</i>	Few-flowered Collinsia	Plantagin-	- - -	- NA	-	
<input type="radio"/> <i>Conium maculatum</i>	Poison Hemlock	Api-	- - -	M ZB	Common. Moist, esp disturbed places (Apr–Jul)	
<input type="radio"/> <i>Convolvulus arvensis</i>	Bindweed	Convolvul-	- - -	- ZP	Roadsides, open areas in many pl communities (Mar–Oct)	
<input type="radio"/> <i>Cotula coronopifolia</i>	Brass-buttons	Aster-	- - -	L ZP	Common. Saline and freshwater marshes, mud flats (Mar–Dec)	
<input type="radio"/> <i>Crassula aquatica</i>	Water Pygmy-weed	Crassul-	- - C	- NA	Salt marshes, vernal pools, margins of lakes, ponds (Mar–Jun(Aug))	
<input type="radio"/> <i>Crassula connata</i>	Pygmy-weed	Crassul-	- - -	- NA	Open areas (Feb–May)	
<input type="radio"/> <i>Cressa truxillensis</i>	Alkali Weed	Convolvul-	- - -	- NP	Saline and alkaline substrates (May–Oct)	

Herbaceous	Grouped by Growth Form					Herbaceous
Croton	Sorted Alphabetically by Scientific Name					Croton
✓ Scientific Name (JM93 if different)	Common Name	Family	Status	Inv OL	Habitat (Bloom)	
<input type="radio"/> <i>Croton setigerus</i> (JM93: <i>Eremocarpus</i>)	Turkey-mullein	Euphorbi-	- - -	- NA	Dry, open, often disturbed areas (May–Oct)	
<input type="radio"/> <i>Cynara cardunculus</i> subsp. <i>flavescens</i> (JM93: no subsp.)	Artichoke Thistle	Aster-	- - -	M ZP	Disturbed places (Apr–Jul)	
<input type="radio"/> <i>Daucus pusillus</i>	Rattlesnake Weed	Api-	- - -	- NA	Rocky or sandy places (Apr–Jun)	
<input type="radio"/> <i>Deinandra lobbii</i> (JM93: <i>Hemizonia</i>)	Lobb Tarweed	Aster-	- - B	- NA	Grassland, open woodland, sagebrush scrub, disturbed areas (May–Dec)	
<input type="radio"/> <i>Delphinium</i> sp.	Larkspur	Ranuncul-	- - -	- NP	--	
<input type="radio"/> <i>Dichelostemma capitatum</i> subsp. <i>capitatum</i>	Blue Dicks	Themid-	- - -	- NP	Open woodland, scrub, desert, grassland (Mar–Jun)	
<input type="radio"/> <i>Dichelostemma</i> sp.	Blue Dicks/ookow	Themid-	- - -	- NP	--	
<input type="radio"/> <i>Dittrichia graveolens</i>	Stinkwort	Aster-	- - -	M ZA	Disturbed areas (Sep–Nov)	
<input type="radio"/> <i>Dodecatheon clevelandii</i> subsp. <i>patulum</i>	Padre Shooting Star	Primul-	- - C	- NP	Moist places, often on serpentine or in ± alkaline sites (Mar–May)	
<input type="radio"/> <i>Dodecatheon hendersonii</i>	Mosquitobills Shooting Star	Primul-	- - -	- NP	Gen in shady sites (Mar–Jul)	
<input type="radio"/> <i>Downingia pulchella</i>	Flatface Downingia	Campanul-	- - B	- NA	Vernal pools, roadside ditches (Apr–Jun)	
<input type="radio"/> <i>Epilobium brachycarpum</i>	Panicled / Weedy Willowherb	Onagr-	- - -	- NA	Common. Dry open or disturbed woodland, grassland, roadsides (Jun–Sep)	
<input type="radio"/> <i>Epilobium canum</i> subsp. <i>canum</i>	California Fuchsia	Onagr-	- - -	- NP	Dry slopes, ridges (Jun–Dec)	
<input type="radio"/> <i>Epilobium</i> sp.	Willowherb	Onagr-	- - -	- NA	--	
<input type="radio"/> <i>Erigeron canadensis</i> (JM93: <i>Conyza</i>)	Horseweed	Aster-	- - -	- ZA	Disturbed places (All year)	
<input type="radio"/> <i>Eriogonum nudum</i> var. ?	Naked-stem Buckwheat	Polygon-	- - -	- NP	--	
<input type="radio"/> <i>Eriogonum nudum</i> var. <i>auriculatum</i>	Ear-shaped Wild Buckwheat	Polygon-	- - A1	- NP	Common. Sand or gravel (May–Oct)	
<input type="radio"/> <i>Eriogonum</i> sp.	Wild Buckwheat	Polygon-	- - -	- NAP	--	
<input type="radio"/> <i>Erodium botrys</i>	Long-beaked Filaree	Gerani-	- - -	- ZA	Dry, open or disturbed sites (Mar–Jul)	
<input type="radio"/> <i>Erodium brachycarpum</i>	Southern European Filaree	Gerani-	- - -	- ZA	Dry, open or disturbed sites (Mar–Jul)	
<input type="radio"/> <i>Erodium cicutarium</i>	Redstem Filaree	Gerani-	- - -	L ZA	Open, disturbed sites, grassland, scrub (Feb–Sep)	
<input type="radio"/> <i>Erodium moschatum</i>	Greenstem Filaree	Gerani-	- - -	- ZA	Open, disturbed sites (Feb–Sep)	
<input type="radio"/> <i>Eschscholzia californica</i>	California Poppy	Papaver-	- - -	- NP	Grassy, open areas (Feb–Sep)	
<input type="radio"/> <i>Foeniculum vulgare</i>	Fennel	Api-	- - -	H ZP	Roadsides, disturbed sites (May–Sep)	
<input type="radio"/> <i>Frankenia salina</i>	Alkali Heath	Frankeni-	- - -	- NP	Salt marshes, alkali flats (Apr–Sep)	
<input type="radio"/> <i>Fritillaria agrestis</i>	Stinkbells	Lili-	- 4.2 *A2	- NP	Clay (gen serpentine) banks, depressions (Mar–Jun)	
<input type="radio"/> <i>Galium aparine</i>	Goose Grass	Rubi-	- - -	- NA	Grassy, ± shady places (Apr–Jun)	

Herbaceous <i>Galium</i>	Grouped by Growth Form Sorted Alphabetically by Scientific Name				Herbaceous <i>Galium</i>
✓ Scientific Name (JM93 if different)	Common Name	Family	Status	Inv OL	Habitat (Bloom)
<input type="radio"/> <i>Galium parisiense</i>	Wall Bedstraw	Rubi-	- - -	- ZA	Warm, dry, generally rocky soil to moist areas, coastal-sage scrub, chaparral, grassy hillsides with oaks, roadsides (Apr–Aug)
<input type="radio"/> <i>Galium porrigens</i> var. <i>porrigens</i>	Climbing Bedstraw	Rubi-	- - -	- NP	Among shrubs in chaparral, forest (May–Aug)
<input type="radio"/> <i>Geranium dissectum</i>	Cut-leaved Geranium	Gerani-	- - -	M ZA	Open, disturbed sites (Mar–Jul)
<input type="radio"/> <i>Geranium molle</i>	Hairy Dove's Foot Geranium	Gerani-	- - -	- ZA	Open to shaded sites, disturbed ground (Feb–Aug)
<input type="radio"/> <i>Geranium robertianum</i>	Herb Robert	Gerani-	- - -	- ZAB	Open to shaded sites (Apr–Sep)
<input type="radio"/> <i>Gilia</i> sp.	Gilia	Polemoni-	- - -	- NA	--
<input type="radio"/> <i>Gilia tricolor</i> subsp. ?	Bird's-eye Gilia	Polemoni-	- - -	- NA	--
<input type="radio"/> <i>Grindelia camporum</i> (JM93: var. <i>camporum</i> , <i>G. hirsutula</i> var. <i>davyi</i>)	Great Valley Gumplant	Aster-	- - -	- NP	Sandy or saline bottomland, roadsides (May–Nov)
<input type="radio"/> <i>Grindelia</i> sp.	Gumplant	Aster-	- - -	- NP	--
<input type="radio"/> <i>Heliotropium curassavicum</i> var. <i>oculatum</i> (JM93: no var.)	Seaside Heliotrope	Boragin-	- - -	- NP	Moist to dry, saline to alkaline soils, gen near water (Feb–Oct)
<input type="radio"/> <i>Helminthotheca echioides</i> (JM93: <i>Picris</i>)	Bristly Ox-tongue	Aster-	- - -	L ZAB	Common. Disturbed areas (All year)
<input type="radio"/> <i>Hemizonia</i> , <i>Centromadia</i> , or <i>Deinandra</i> sp. (JM93: <i>Hemizonia</i> sp.)	Spikeweed	Aster-	- - -	- NAP	--
<input type="radio"/> <i>Herniaria hirsuta</i> var. <i>cinerea</i> (JM93: subsp.)	Ash-color Rupturewort	Caryophyll-	- - -	- ZA	Disturbed areas, alkaline hills, clay flats (Spring–fall)
<input type="radio"/> <i>Hesperevax sparsiflora</i> var. <i>sparsiflora</i>	Erect Hesperevax	Aster-	- - -	- NA	Common. Open, clay and/or rocky, generally serpentine soil (Mar–Jun)
<input type="radio"/> <i>Hesperocnide tenella</i>	Western Creeping Nettle	Urtic-	- - -	- NA	Moist, shaded areas, often at base of rocks or shrubs, in chaparral, coastal scrub, riparian woodland, mesic oak woodland (Feb–Jun)
<input type="radio"/> <i>Heterotheca sessiliflora</i> subsp. <i>bolanderi</i>	Bolander Goldenaster	Aster-	- - C	- NP	Dunes, headlands, grassy coastal slopes (Jun–Sep)
<input type="radio"/> <i>Hirschfeldia incana</i>	Shortpod Mustard	Brassic-	- - -	M ZBP	Disturbed areas (Apr–Oct)
<input type="radio"/> <i>Holocarpha obconica</i>	San Joaquin Tarplant	Aster-	- - B	- NA	Grassland (Apr–Nov)
<input type="radio"/> <i>Holocarpha</i> sp.	Tarplant	Aster-	- - -	- NA	--
<input type="radio"/> <i>Holocarpha virgata</i> subsp. <i>virgata</i>	Sticky Tarplant	Aster-	- - -	- NA	Grassland (May–Nov)
<input type="radio"/> <i>Horkelia</i> sp.	Horkelia	Ros-	- - -	- NP	--
<input type="radio"/> <i>Hypochaeris glabra</i>	Smooth Cat's-ear	Aster-	- - -	L ZA	Common. Disturbed areas, grassland, open woodland (Mar–Jun)
<input type="radio"/> <i>Hypochaeris radicata</i>	Rough Cat's-ear	Aster-	- - -	M ZP	Disturbed areas, grassland, open woodland (Apr–Jul)
<input type="radio"/> <i>Lactuca saligna</i>	Willow Lettuce	Aster-	- - -	- ZA	Roadsides, grassland (Jul–Nov)
<input type="radio"/> <i>Lactuca serriola</i>	Prickly Lettuce	Aster-	- - -	- ZA	Abundant. Disturbed places (May–Oct)

Herbaceous <i>Lagophylla</i>	Grouped by Growth Form Sorted Alphabetically by Scientific Name					Herbaceous <i>Lagophylla</i>
✓ Scientific Name (JM93 if different)	Common Name	Family	Status	Inv OL	Habitat (Bloom)	
<input type="radio"/> <i>Lagophylla ramosissima</i> (JM93: <i>subsp. ramosissima</i>)	Common Hare-leaf	Aster-	- - -	- NA	Grassland, openings in scrub, woodland, forest (Apr–Oct)	
<input type="radio"/> <i>Lamium amplexicaule</i>	Clasping Henbit	Lami-	- - -	- ZAB	Disturbed sites, cult or abandoned fields (Apr–Sep)	
<input type="radio"/> <i>Lasthenia californica subsp. californica</i> (JM93: <i>no subsp.</i>)	California Goldfields	Aster-	- - -	- NA	Many habitats (Feb–Jun)	
<input type="radio"/> <i>Lathyrus jepsonii var. californicus</i>	Bluff Pea	Fab-	- - B	- NP	Forest, open areas (Apr–Aug)	
<input type="radio"/> <i>Lathyrus sp.</i>	Pea	Fab-	- - -	- --		
<input type="radio"/> <i>Layia platyglossa</i>	Tidy-tips	Aster-	- - C	- NA	Many habitats (Feb–Jul)	
<input type="radio"/> <i>Lemna sp.</i>	Duckweed	Lemn-	- - -	- NP	--	
<input type="radio"/> <i>Lepidium acutidens</i> (JM93: <i>L. dictyotum var. acutidens</i>)	Calyx-like Peppergrass	Brassic-	- - B	- NA		
<input type="radio"/> <i>Lepidium latifolium</i>	Perennial Peppergrass	Brassic-	- - -	H ZP	Pastures, disturbed areas, fields, grassland, saline meadows, streambanks, sagebrush scrub, edge of marshes (Jun–Sep)	
<input type="radio"/> <i>Lepidium latipes</i> (JM93: <i>var. latipes</i>)	Dwarf Peppergrass	Brassic-	- - B	- NA	Alkaline soils, vernal pool margins, salt marsh edges, pastures (Mar–Jun)	
<input type="radio"/> <i>Lepidium nitidum</i> (JM93: <i>var. nitidum, oreganum</i>)	Threadleaf Peppergrass	Brassic-	- - -	- NA	Alkaline soils, pastures, dry vernal pools, fields, beaches (Feb–Mar)	
<input type="radio"/> <i>Leptosiphon parviflorus</i> (JM93: <i>Linanthus</i>)	Common Linanthus	Polemoni-	- - B	- NA	Abundant. Open or wooded areas (Mar–Jun)	
<input type="radio"/> <i>Linanthus or Leptosiphon sp.</i> (JM93: <i>Linanthus sp.</i>)	Linanthus	Polemoni-	- - -	- NA	--	
<input type="radio"/> <i>Lithophragma affine</i>	Woodland Star	Saxifrag-	- - -	- NP	Open, grassy slopes (Mar–Apr)	
<input type="radio"/> <i>Logfia gallica</i> (JM93: <i>Filago</i>)	Daggerleaf Cottonrose	Aster-	- - -	- ZA	Bare or grassy openings, burns (Mar–Jul)	
<input type="radio"/> <i>Lomatium dasycarpum subsp. dasycarpum</i>	Woolly Fruited Desertparsley	Api-	- - -	- NP	Rocky (gen serpentine), chaparral, woodland (Mar–Jun)	
<input type="radio"/> <i>Lomatium sp.</i>	Biscuit Root	Api-	- - -	- NP	--	
<input type="radio"/> <i>Lomatium utriculatum</i>	Bladder Parsnip	Api-	- - -	- NP	Open grassy slopes, meadows, woodland (Feb–May)	
<input type="radio"/> <i>Lotus corniculatus</i>	Bird's-foot Trefoil	Fab-	- - -	- ZP	Open, disturbed areas (Jun–Sep)	
<input type="radio"/> <i>Ludwigia palustris</i>	Common Water Primrose	Onagr-	- - A1	- NP		
<input type="radio"/> <i>Ludwigia peploides subsp. peploides</i>	Yellow Water Primrose	Onagr-	- - B	- NP	Lakeshores, streambanks, seasonal wetlands (May–Oct)	
<input type="radio"/> <i>Lupinus bicolor</i>	Miniature Lupine	Fab-	- - -	- NA	Abundant. Open or disturbed areas (Mar–Jun)	
<input type="radio"/> <i>Lupinus microcarpus var. densiflorus</i>	Gully Lupine	Fab-	- - -	- NA	Abundant. Open or disturbed areas, occ seeded on roadbanks (Apr–Jun)	

Herbaceous <i>Lupinus</i>	Grouped by Growth Form Sorted Alphabetically by Scientific Name					Herbaceous <i>Lupinus</i>
✓ Scientific Name (JM93 if different)	Common Name	Family	Status	Inv OL	Habitat (Bloom)	
<input type="radio"/> <i>Lupinus microcarpus</i> var. <i>microcarpus</i>	Chick Lupine	Fab-	- - -	- NA	Abundant. Open or disturbed areas, occ seeded on roadbanks (Mar–Jun)	
<input type="radio"/> <i>Lupinus nanus</i>	Sky Lupine	Fab-	- - -	- NA	Abundant. Open or disturbed areas (Mar–Jun)	
<input type="radio"/> <i>Lupinus</i> sp.	Lupine	Fab-	- - -	- NAP	-	
<input type="radio"/> <i>Lupinus succulentus</i>	Arroyo Lupine	Fab-	- - -	- NA	Abundant. Open or disturbed areas, often seeded on roadbanks (Feb–May)	
<input type="radio"/> <i>Lythrum hyssopifolia</i>	Grass-poly	Lythr-	- - -	- ZAP	Marshes, drying pond margins, disturbed ground (Apr–Oct)	
<input type="radio"/> <i>Lythrum</i> sp.	Loosestrife	Lythr-	- - -	-	-	
<input type="radio"/> <i>Malva parviflora</i>	Cheeseweed	Malv-	- - -	- ZA	Common. Disturbed places (Mar–May)	
<input type="radio"/> <i>Malvella leprosa</i>	Alkal-mallow	Malv-	- - -	- NP	Valleys, gen saline (Apr–Nov)	
<input type="radio"/> <i>Marah fabacea</i> (JM93: <i>M. fabaceus</i>)	California Man-root	Cucurbit-	- - -	- NP	Streamsides, washes, shrubby open areas (Feb–Apr)	
<input type="radio"/> <i>Marah oregana</i> (JM93: <i>M. oreganus</i>)	Coast Man-root	Cucurbit-	- - C	- NP	Shrubby or open areas, forest edges (Mar–May)	
<input type="radio"/> <i>Marah</i> sp.	Manroot	Cucurbit-	- - -	- NP	-	
<input type="radio"/> <i>Marrubium vulgare</i>	Common Horehound	Lami-	- - -	L ZP	Disturbed sites, gen overgrazed pastures (Mar–Nov)	
<input type="radio"/> <i>Matricaria discoidea</i> (JM93: <i>Chamomilla suaveolens</i>)	Pineapple Weed	Aster-	- - -	- ZA	Abundant. Disturbed sites, riverbanks (Feb–Aug)	
<input type="radio"/> <i>Medicago polymorpha</i>	California Burclover	Fab-	- - -	L ZA	Common. Chaparral, oak woodland, streambanks, roadsides, disturbed areas (Mar–Jul)	
<input type="radio"/> <i>Melilotus albus</i> (JM93: <i>M. alba</i>)	White Sweetclover	Fab-	- - -	- ZAB	Locally abundant. Pastures, open disturbed sites (May–Sep)	
<input type="radio"/> <i>Melilotus indicus</i> (JM93: <i>M. indica</i>)	Sourclover	Fab-	- - -	- ZAB	Open, disturbed areas (Apr–Oct)	
<input type="radio"/> <i>Melilotus officinalis</i>	Yellow Sweetclover	Fab-	- - -	- ZAB	Open fields, disturbed sites, cultivated (May–Aug)	
<input type="radio"/> <i>Micranthes californica</i> (JM93: <i>Saxifraga</i>)	California Saxifrage	Saxifrag-	- - -	- NP	Moist, shady places (Feb–May(Jun))	
<input type="radio"/> <i>Micropus californicus</i> var. ?	Slender Cottonweed	Aster-	- - -	- NA	-	
<input type="radio"/> <i>Micropus californicus</i> var. <i>californicus</i>	Cottonweed	Aster-	- - -	- NA	Clearings, often disturbed, dry or seasonally moist soils (Mar–Jun)	
<input type="radio"/> <i>Microseris douglasii</i> subsp. <i>douglasii</i>	Douglas Silverpuffs	Aster-	- - -	- NA	Grassland, near vernal pools or serpentine (Mar–Jun)	
<input type="radio"/> <i>Mimulus guttatus</i>	Golden Monkeyflower	Phrym-	- - -	- NP	Common. Wet places, gen terrestrial, occ emergent or floating in mats (Mar–Aug)	
<input type="radio"/> <i>Montia fontana</i>	Water Chickweed	Monti-	- - C	- NA	Common. Ponds, streams, vernal pools, seeps (Jul–Aug)	
<input type="radio"/> <i>Nasturtium officinale</i> (JM93: <i>Rorippa nasturtium-aquaticum</i>)	Water Cress	Brassic-	- - -	- NP	Streams, springs, marshes, lake margins, swamps (Mar–Nov)	

Herbaceous <i>Nemophila</i>	Grouped by Growth Form Sorted Alphabetically by Scientific Name				Herbaceous <i>Nemophila</i>
✓ Scientific Name (JM93 if different)	Common Name	Family	Status	Inv OL	Habitat (Bloom)
<input type="radio"/> <i>Nemophila heterophylla</i>	Variable-leaf Nemophila	Boragin-	- - -	- NA	Common. Forest, chaparral, roadsides, streambanks (Feb–Jun)
<input type="radio"/> <i>Nemophila pedunculata</i>	Meadow Nemophila	Boragin-	- - B	- NA	Common. Ocean bluffs, grassland, slopes, meadows, sandbars, fields, woodland, streambanks (Feb–Jul)
<input type="radio"/> <i>Packera breweri</i> (JM93: <i>Senecio</i>)	Brewer's Ragwort	Aster-	- - B	- NP	Common. Seasonally damp grassland, oak savanna, disturbed areas (Apr–Jun)
<input type="radio"/> <i>Persicaria punctata</i> (JM93: <i>Polygonum punctatum</i>)	Water Smartweed	Polygon-	- - C	- NAP	Shallow water, shores, marshes, floodplain forest (Jun–Nov)
<input type="radio"/> <i>Phacelia ciliata</i>	Field Phacelia	Boragin-	- - B	- NA	Clay or gravelly slopes in grassland, fields (Feb–Jun)
<input type="radio"/> <i>Phacelia distans</i>	Common Phacelia	Boragin-	- - -	- NA	Common. Clay to rocky soils, slopes (Mar–May)
<input type="radio"/> <i>Phacelia ramosissima</i> (JM93: var. <i>ramosissima</i> , <i>latifolia</i>)	Branched Phacelia	Boragin-	- - A2	- NP	Diverse habitats incl salt marshes, canyons (Apr–Oct)
<input type="radio"/> <i>Pholistoma membranaceum</i>	White Fiesta Flower	Boragin-	- - -	- NA	Beaches, bluffs, ravines, wooded slopes, desert washes (Feb–May)
<input type="radio"/> <i>Phoradendron serotinum</i> subsp. <i>macrophyllum</i> (JM93: <i>P. macrophyllum</i>)	Big-leaf Mistletoe	Visc-	- - C	- NP	On trees other than <i>Quercus</i> (especially <i>Alnus</i> , <i>Fraxinus</i> , <i>Juglans</i> , <i>Platanus</i> , <i>Populus</i> , <i>Robinia</i> , <i>Salix</i>) (Dec–Mar)
<input type="radio"/> <i>Plagiobothrys bracteatus</i>	Bracted Popcornflower	Boragin-	- - -	- NA	Common. Vernal pools, wet places in grassland, coastal-sage scrub, chaparral (Apr–Jun)
<input type="radio"/> <i>Plagiobothrys fulvus</i> var. <i>campestris</i> (JM93: no var.)	Field Popcornflower	Boragin-	- - B	- NA	Grassland, open woodland, loamy, sandy, or gravelly soil (Mar–May)
<input type="radio"/> <i>Plagiobothrys infectivus</i>	Dye Popcornflower	Boragin-	- - A1	- NA	Open grassland, friable clay to sandy soils (Mar–May)
<input type="radio"/> <i>Plagiobothrys nothofulvus</i>	Rusty Popcornflower	Boragin-	- - -	- NA	Common; open woodland, grassland (Mar–May)
<input type="radio"/> <i>Plagiobothrys</i> sp.	Popcornflower	Boragin-	- - -	- -	- -
<input type="radio"/> <i>Plantago coronopus</i>	Cut-leaf Plantain	Plantagin-	- - -	- NA	Coastal bluffs, salt marshes, trampled places, chaparral, grassy flats (Apr–Jul)
<input type="radio"/> <i>Plantago elongata</i>	Linear-leaf Plantain	Plantagin-	- - C	- NA	
<input type="radio"/> <i>Plantago erecta</i>	California Dwarf Plantain	Plantagin-	- - -	- NA	Sandy, clay, serpentine soil; grassy slopes, flats, open woodland (Mar–May)
<input type="radio"/> <i>Plantago lanceolata</i>	English Plantain	Plantagin-	- - -	L ZA	Common. Disturbed areas (Apr–Aug)
<input type="radio"/> <i>Platystemon californicus</i>	Cream Cups	Papaver-	- - -	- NA	Open grassland, sandy soil, burns (Mar–May)
<input type="radio"/> <i>Plectritis ciliosa</i> (JM93: subsp. <i>ciliosa</i> , <i>insignis</i>)	Longspur Plectritis	Valerian-	- - B	- NA	Common. Open, partly shaded slopes (Mar–Jun)

Herbaceous <i>Polygonum</i>	Grouped by Growth Form Sorted Alphabetically by Scientific Name					Herbaceous <i>Polygonum</i>
✓ Scientific Name (JM93 if different)	Common Name	Family	Status	Inv OL	Habitat (Bloom)	
<input type="radio"/> <i>Polygonum aviculare</i> subsp. <i>depressum</i> (JM93: <i>P. arenastrum</i>)	Knotweed	Polygon-	- - -	- ZA	Disturbed places (May–Nov)	
<input type="radio"/> <i>Polygonum</i> or <i>Persicaria</i> sp. (JM93: <i>Polygonum</i> sp.)	Knotweed / Smartweed	Polygon-	- - -	- --		
<input type="radio"/> <i>Portulaca oleracea</i>	Purslane	Portulac-	- - -	- ZP	Disturbed soil (Late spring-early fall)	
<input type="radio"/> <i>Potamogeton</i> or <i>Stuckenia</i> sp. (JM93: <i>Potamogeton</i> sp.)	Pondweed	Potamogeton-	- - -	- NP	--	
<input type="radio"/> <i>Pseudognaphalium luteoalbum</i> (JM93: <i>Gnaphalium luteo-album</i>)	Weedy Cudweed	Aster-	- - -	- ZA	Disturbed sites, fields, streambeds (Apr–Aug)	
<input type="radio"/> <i>Psilocarphus brevissimus</i> var. <i>brevissimus</i>	Dwarf Woollyheads	Aster-	- - B	- NA	Drying edges of vernal pools, mud flats, drainages (May–Jun)	
<input type="radio"/> <i>Pterostegia drymarioides</i>	Pink Creeper	Polygon-	- - -	- NA	Common. Sand or gravel (Mar–Jul)	
<input type="radio"/> <i>Ranunculus californicus</i> var. <i>californicus</i> (JM93: no var.)	California Buttercup	Ranuncul-	- - -	- NP	Grassland, open woodland (Mar–Aug)	
<input type="radio"/> <i>Ranunculus canus</i> var. <i>canus</i> (JM93: no var.)	Sacramento Valley Buttercup	Ranuncul-	- - B	- NP	Grassland, open oak woodlan (Mar–Jul)	
<input type="radio"/> <i>Ranunculus muricatus</i>	Prickleseed Buttercup	Ranuncul-	- - -	- ZA	Stream-banks, drainages, low meadows (Apr–Jun)	
<input type="radio"/> <i>Ranunculus repens</i>	Creeping Buttercup	Ranuncul-	- - -	L ZP	Meadows, road banks, disturbed places, edges of marshes, streams (All year)	
<input type="radio"/> <i>Ranunculus</i> sp.	Buttercup	Ranuncul-	- - -	- --		
<input type="radio"/> <i>Raphanus raphanistrum</i>	Jointed Charlock	Brassic-	- - -	- ZA	Disturbed areas, fields (Apr–Jul)	
<input type="radio"/> <i>Raphanus sativus</i>	Radish	Brassic-	- - -	L ZA	Disturbed areas, fields (May–Jul)	
<input type="radio"/> <i>Rumex acetosella</i>	Sheep Sorrel	Polygon-	- - -	M ZP	± Disturbed, often acidic places (Apr–Jul)	
<input type="radio"/> <i>Rumex crispus</i>	Curly Dock	Polygon-	- - -	L ZP	Abundant. Disturbed places (All year)	
<input type="radio"/> <i>Rumex pulcher</i>	Fiddle Dock	Polygon-	- - -	- ZP	Disturbed places, meadows, moist or dry habitats (May–Sep)	
<input type="radio"/> <i>Rumex salicifolius</i> (JM93: var. <i>salicifolius</i>)	Thin-leaf Willow Dock	Polygon-	- - B	- NP	Wet places, margins, rocky slopes (May–Jul)	
<input type="radio"/> <i>Rumex</i> sp.	Dock	Polygon-	- - -	- --		
<input type="radio"/> <i>Rumex transitorius</i> (JM93: <i>R. salicifolius</i> var. <i>transitorius</i>)	Ovate Willow Dock	Polygon-	- - -	- NP	Coastal dunes, wet margins of meadows (Apr–Jun)	
<input type="radio"/> <i>Sagina apetala</i>	Dwarf Pearlwort	Caryophyll-	- - -	- NA	Sandy disturbed areas, river bars, streambanks (Spring–early summer)	
<input type="radio"/> <i>Sanicula bipinnata</i>	Poison Sanicle	Api-	- - -	- NP	Open grassland or pine/oak woodland (Apr–May)	
<input type="radio"/> <i>Sanicula bipinnatifida</i>	Purple Sanicle	Api-	- - -	- NP	Open grassland, gen on serpentine, or pine/oak woodland (Mar–May)	
<input type="radio"/> <i>Sanicula crassicaulis</i>	Pacific Woodland Sanicle	Api-	- - -	- NP	Open slopes, ravines, woodland (Mar–May)	

Herbaceous <i>Sanicula</i>	Grouped by Growth Form Sorted Alphabetically by Scientific Name				Herbaceous <i>Sanicula</i>
✓ Scientific Name (JM93 if different)	Common Name	Family	Status	Inv OL	Habitat (Bloom)
<input type="radio"/> <i>Sanicula tuberosa</i>	Turkey Pea Sanicle	Api-	- - C	- NP	Open gravelly meadows, chaparral, woodland, pine forest (Mar–Jul)
<input type="radio"/> <i>Scandix pecten-veneris</i>	Venus' Needle	Api-	- - -	- ZA	Grassy slopes, roadsides (Apr–Jun)
<input type="radio"/> <i>Scrophularia californica</i> (JM93: <i>subsp. californica, floribunda</i>)	California Figwort	Scrophulari-	- - -	- NP	Common; damp places, chaparral, roadsides (Mar–Jul)
<input type="radio"/> <i>Senecio vulgaris</i>	Common Groundsel	Aster-	- - -	- ZA	Common. Disturbed areas (Feb–Jul)
<input type="radio"/> <i>Sesuvium verrucosum</i>	Western Sea-purslane	Aizo-	- - A2	- NP	Uncommon. Moist or seasonally dry flats, margins of generally saline wetlands (Apr–Nov)
<input type="radio"/> <i>Sherardia arvensis</i>	Field Madder	Rubi-	- - -	- ZA	Pastures, disturbed areas, grassland, dry meadows, oak woodland (Mar–Jul)
<input type="radio"/> <i>Silene gallica</i>	Small-flower Catchfly	Caryophyll-	- - -	- ZA	Fields, disturbed areas (Spring–early summer)
<input type="radio"/> <i>Silybum marianum</i>	Milk Thistle	Aster-	- - -	L ZAB	Roadsides, pastures, disturbed areas (Feb–Jun)
<input type="radio"/> <i>Sinapis arvensis</i>	Charlock	Brassic-	- - -	L ZA	Disturbed areas (Mar–Sep)
<input type="radio"/> <i>Sisymbrium officinale</i>	Hedge Mustard	Brassic-	- - -	- ZA	Disturbed areas, fields, pastures (Apr–Sep)
<input type="radio"/> <i>Sisyrinchium bellum</i>	Western Blue-eyed-grass	Irid-	- - -	- NP	Common. Open, gen moist, grassy areas, woodland (Mar–May)
<input type="radio"/> <i>Solanum americanum</i>	Small-flowered Nightshade	Solan-	- - -	- NAP	Open, often disturbed places (Apr–Nov)
<input type="radio"/> <i>Soliva sessilis</i>	Common Soliva	Aster-	- - -	- ZA	Disturbed areas, especially hard-packed paths (Apr–Jul)
<input type="radio"/> <i>Sonchus asper subsp. asper</i>	Prickly Sow Thistle	Aster-	- - -	- ZA	Common. Slightly moist disturbed sites, along streams (All year)
<input type="radio"/> <i>Sonchus oleraceus</i>	Common Sow Thistle	Aster-	- - -	- ZA	Abundant. Disturbed places (All year)
<input type="radio"/> <i>Spergularia sp.</i>	Sand-spurry	Caryophyll-	- - -	- -	
<input type="radio"/> <i>Stachys albens</i>	White-stem Hedge-nettlee	Lami-	- - B	- NP	Swamps, seeps (May–Oct)
<input type="radio"/> <i>Stellaria media</i>	Common Chickweed	Caryophyll-	- - -	- ZA	Oak woodland, meadows, disturbed areas (Feb–Sep)
<input type="radio"/> <i>Stellaria nitens</i>	Shiny Chickweed	Caryophyll-	- - C	- NA	Sand dunes, streambanks, open woodland, beneath boulders, disturbed areas (Spring)
<input type="radio"/> <i>Stellaria pallida</i>	Lesser Chickweed	Caryophyll-	- - -	- ZA	Oak woodland, streambanks, grassy hills, flats, disturbed areas (Spring)
<input type="radio"/> <i>Taraxacum officinale</i>	Common Dandelion	Aster-	- - -	- ZBP	Abundant. Esp disturbed areas (All year)
<input type="radio"/> <i>Thysanocarpus curvipes</i>	Hairy Fringepod	Brassic-	- - -	- NA	Common. Slopes, washes, moist meadows, woodland, streambanks (Feb–Jun)
<input type="radio"/> <i>Tonella tenella</i>	Small-flowered Tonella	Plantagin-	- - A2	- NA	Moist, shaded places in chaparral, oak and mixed woodland (Mar–Jun)
<input type="radio"/> <i>Torilis nodosa</i>	Short Sock-destroyer	Api-	- - -	- ZA	Disturbed places (Apr–Jun)
<input type="radio"/> <i>Tragopogon porrifolius</i>	Purple Salsify	Aster-	- - -	- ZBP	Common. Disturbed places (Mar–Nov)

Herbaceous <i>Trifolium</i>	Grouped by Growth Form Sorted Alphabetically by Scientific Name					Herbaceous <i>Trifolium</i>
✓ Scientific Name (JM93 if different)	Common Name	Family	Status	Inv OL	Habitat (Bloom)	
<input type="radio"/> <i>Trifolium bifidum</i> var. ?	Pinole Clover	Fab-	- - -	- NA	--	
<input type="radio"/> <i>Trifolium bifidum</i> var. <i>decipiens</i>	Deceiving Clover	Fab-	- - -	- NA	Open, grassy areas, forest (Apr–Jun)	
<input type="radio"/> <i>Trifolium depauperatum</i> var. <i>amplectens</i>	Fused-bract Pale Sack Clover	Fab-	- - -	- NA	Grassland, coastal woodland (Apr–Jun)	
<input type="radio"/> <i>Trifolium depauperatum</i> var. <i>truncatum</i>	Truncate Sack Clover	Fab-	- - -	- NA	Grassy flats, disturbed slopes, openings in woodland (Apr–Jun)	
<input type="radio"/> <i>Trifolium dubium</i>	Little Hop Clover	Fab-	- - -	- ZA	Agricultural, disturbed areas, lawns (Spring)	
<input type="radio"/> <i>Trifolium fucatum</i>	Bull Clover	Fab-	- - C	- NA	Locally abundant. Moist, open grassland, marshes, roadsides, occasionally saline or serpentine soils (Apr–Jun)	
<input type="radio"/> <i>Trifolium gracilentum</i> (JM93: var. <i>gracilentum</i>)	Pinpoint Clover	Fab-	- - -	- NA	Open, disturbed places, occas serpentine (Mar–Jun)	
<input type="radio"/> <i>Trifolium hirtum</i>	Rose Clover	Fab-	- - -	M ZA	Disturbed areas, roadsides (Apr–May)	
<input type="radio"/> <i>Trifolium microcephalum</i>	Small-head Clover	Fab-	- - -	- NA	Streambanks, moist, disturbed areas, roadsides, serpentine, conifer forest (Apr–Aug)	
<input type="radio"/> <i>Trifolium oliganthum</i>	Few-flowered Clover	Fab-	- - C	- NA	Woody or shrubby slopes, roadsides (Mar–Jun)	
<input type="radio"/> <i>Trifolium pratense</i>	Red Clover	Fab-	- - -	- ZP	Disturbed areas (Apr–Oct)	
<input type="radio"/> <i>Trifolium</i> sp.	Clover	Fab-	- - -	-	--	
<input type="radio"/> <i>Trifolium variegatum</i> var. ? (JM93: no var.)	White-tip Clover	Fab-	- - -	- NA	--	
<input type="radio"/> <i>Trifolium willdenovii</i>	Tomcat Clover	Fab-	- - -	- NA	Abundant. Disturbed, gen spring-moist, heavy soils, occas serpentine (Mar–Jun)	
<input type="radio"/> <i>Triphysaria eriantha</i> subsp. <i>eriantha</i>	Yellow Johnny-tuck	Orobanch-	- - -	- NA	Grassland, foothills (Mar–May)	
<input type="radio"/> <i>Triphysaria pusilla</i>	Dwarf Owl's Clover	Orobanch-	- - -	- NA	Grassland (Apr–Jun)	
<input type="radio"/> <i>Triteleia hyacinthina</i>	Fool's Onion	Themid-	- - -	- NP	Grassland, vernal wet meadows, occ drier slopes (Mar–Jul)	
<input type="radio"/> <i>Triteleia laxa</i>	Ithuriel's Spear	Themid-	- - -	- NP	Common. Open forest, conifer or foothill woodland, grassland on clay soil (Apr–Jun)	
<input type="radio"/> <i>Urtica urens</i>	Dwarf Nettle	Urtic-	- - -	- ZA	Disturbed areas, stream banks, shaded areas in grassland, oak woodland, chaparral, coastal-sage scrub, riparian woodland (Jan–Jun)	
<input type="radio"/> <i>Verbena lasiostachys</i> var. <i>scabrida</i>	Robust Vervain	Verben-	- - -	- NP	Open, dry to wet places (May–Sep)	
<input type="radio"/> <i>Veronica persica</i>	Persian Speedwell	Plantagin-	- - -	- ZA	Wet, disturbed areas, fields (Feb–May)	
<input type="radio"/> <i>Vicia benghalensis</i>	One-sided Purple Vetch	Fab-	- - -	- ZP	Grassland, roadsides, disturbed areas (Mar–Jun)	
<input type="radio"/> <i>Vicia sativa</i> subsp. ?	Narrowleaf / Spring Vetch	Fab-	- - -	- ZA	--	
<input type="radio"/> <i>Vicia sativa</i> subsp. <i>sativa</i>	Spring Vetch	Fab-	- - -	- ZA	Roadsides, disturbed areas, grassland, open areas in oak and riparian woodlands (Mar–Jun)	
<input type="radio"/> <i>Vicia</i> sp.	Vetch	Fab-	- - -	-	--	

Herbaceous <i>Viola</i>	Grouped by Growth Form Sorted Alphabetically by Scientific Name				Herbaceous <i>Viola</i>
✓ Scientific Name (JM93 if different)	Common Name	Family	Status	Inv OL	Habitat (Bloom)
<input type="radio"/> <i>Viola pedunculata</i>	Johnny-jump-up	Viol-	- - C	- NP	Open, grassy slopes, hillsides, chaparral, oak woodland, gen full sun (Feb–Apr)
<input type="radio"/> <i>Wyethia glabra</i>	Smooth Mule's Ears	Aster-	- - C	- NP	Gen shady sites (Mar–Jun)
<input type="radio"/> <i>Wyethia helenioides</i>	Gray Mule's Ears	Aster-	- - -	- NP	Open grassland, woodland, scrub (Mar–May(Aug))
<input type="radio"/> <i>Xanthium spinosum</i>	Spiny Cocklebur	Aster-	- - -	- NA	Disturbed, seasonally wet, often alkaline sites, in grassland, marshes, watercourses (Jul–Oct)
<input type="radio"/> <i>Yabea microcarpa</i>	California Hedge Parsley	Api-	- - C	- NA	Grassy slopes, dunes, chaparral, woodland (Apr–Jun)
<input type="radio"/> <i>Zannichellia palustris</i>	Horned-pondweed	Zannichelli-	- - -	- NP	Streams, ponds, lakes (Mar–Nov)

Woody	Grouped by Growth Form					Woody
Aesculus	Sorted Alphabetically by Scientific Name					Aesculus
✓ Scientific Name (JM93 if different)	Common Name	Family	Status	Inv	OL	Habitat (Bloom)
<input type="radio"/> <i>Aesculus californica</i>	California Buckeye	Sapind-	- - -	-	NP	Dry slopes, canyons, borders of streams (May–Jun)
<input type="radio"/> <i>Allenrolfea occidentalis</i>	Iodine Bush	Chenopodi-	- - A2	-	NP	Flats, hummocks, in alkaline soils (Jun–Aug)
<input type="radio"/> <i>Artemisia californica</i>	California Sagebrush	Aster-	- - -	-	NP	Coastal scrub, chaparral, open woodland (Aug–Nov)
<input type="radio"/> <i>Baccharis pilularis subsp. consanguinea</i> (JM93: no subsp.)	Coyote Brush	Aster-	- - -	-	NP	Coastal bluffs, woodland, grassland, disturbed sites, occ on serpentine (Jul–Dec)
<input type="radio"/> <i>Baccharis salicifolia subsp. salicifolia</i> (JM93: no subsp.)	Mule Fat	Aster-	- - -	-	NP	Riparian woodland, canyon bottoms, disturbed sites, often forming thickets (All year)
<input type="radio"/> <i>Ericameria linearifolia</i>	Interior Goldenbush	Aster-	- - -	-	NP	Dry slopes, valleys, foothill and desert woodland, saltbush and creosote-bush scrub (Mar–May)
<input type="radio"/> <i>Eucalyptus globulus</i>	Blue Gum	Myrt-	- - -	M	ZP	Common. Disturbed areas (Oct–Jan)
<input type="radio"/> <i>Gutierrezia californica</i>	California Matchweed	Aster-	- - C	-	NP	Grassland, arid woodland and shrubland, serpentine (Jul–Nov)
<input type="radio"/> <i>Heteromeles arbutifolia</i>	Christmas Berry / Toyon	Ros-	- - -	-	NP	Chaparral, oak woodland, mixed-evergreen forest ((May)Jun–Aug)
<input type="radio"/> <i>Holodiscus discolor var. discolor</i> (JM93: no var.)	Oceanspray	Ros-	- - -	-	NP	Moist woodland edges, rocky slopes (May–Aug)
<input type="radio"/> <i>Lupinus albifrons var. ?</i>	Blue Bush / Silver Lupine	Fab-	- - -	-	NP	--
<input type="radio"/> <i>Lupinus albifrons var. albifrons</i>	Bush Lupine	Fab-	- - -	-	NP	Common. Chaparral, foothill woodland (Mar–Jun)
<input type="radio"/> <i>Mimulus aurantiacus var. aurantiacus</i> (JM93: no var.)	Bush Monkeyflower	Phrym-	- - -	-	NP	Disturbed areas, coastal cliffs, canyon sides (Mar–Jun)
<input type="radio"/> <i>Populus fremontii subsp. fremontii</i>	Fremont Cottonwood	Salic-	- - -	-	NP	Scattered. Alluvial bottomland, streamsides (Mar–Apr)
<input type="radio"/> <i>Prunus dulcis</i>	Almond	Ros-	- - -	-	ZP	Canyons, roadsides, grassland (as waif) (Feb–Mar)
<input type="radio"/> <i>Prunus subcordata</i>	Sierra Plum	Ros-	- - C	-	NP	Mixed-evergreen or conifer forest (Mar–May)
<input type="radio"/> <i>Prunus virginiana var. demissa</i>	Western Choke Cherry	Ros-	- - -	-	NP	Rocky slopes, canyons, scrubland, oak/pine woodland (May–Jun)
<input type="radio"/> <i>Quercus agrifolia var. agrifolia</i>	Coast Live Oak	Fag-	- - A2	-	NP	Valleys, slopes, mixed-evergreen forest, woodland (Mar–Apr)
<input type="radio"/> <i>Quercus douglasii</i>	Blue Oak	Fag-	- - -	-	NP	Dry slopes, interior foothills, woodland (Apr–May)
<input type="radio"/> <i>Quercus lobata</i>	Valley Oak	Fag-	- - B	-	NP	Slopes, valleys, savanna (Mar–Apr)
<input type="radio"/> <i>Rosa californica</i>	California Rose	Ros-	- - -	-	NP	Gen ± moist areas in sun, esp streambanks (Feb–Nov)
<input type="radio"/> <i>Salix exigua var. hindsiana</i> (JM93: no var.)	Hinds' Willow	Salic-	- - -	-	NP	Common. Floodplains, sandy gravel (Apr–May)
<input type="radio"/> <i>Salix laevigata</i>	Red Willow	Salic-	- - -	-	NP	Common. Riverbanks, seepage areas, lakeshores, canyons (Dec–Jun)

Woody	Grouped by Growth Form						Woody
Salix	Sorted Alphabetically by Scientific Name						Salix
<input checked="" type="checkbox"/> Scientific Name (JM93 if different)	Common Name	Family	Status	Inv	OL	Habitat (Bloom)	
<input type="checkbox"/> <i>Salix lasiolepis</i>	Arroyo Willow	Salic-	- - -	-	NP	Common. Shores, marshes, meadows, etc (Jan–Jun)	
<input type="checkbox"/> <i>Salix sp.</i>	Willow	Salic-	- - -	-	?P	--	
<input type="checkbox"/> <i>Salvia mellifera</i>	Black Sage	Lami-	- - -	-	NP	Coastal-sage scrub, lower chaparral (Mar–Jun)	
<input type="checkbox"/> <i>Sambucus nigra subsp. caerulea (JM93: S. mexicana)</i>	Blue Elderberry	Adox-	- - -	-	NP	Common. Streambanks, open places in forest (Mar–Sep)	
<input type="checkbox"/> <i>Schinus molle</i>	Pepper Tree	Anacardi-	- - -	L	ZP	Washes, slopes, abandoned fields (Jun–Aug)	
<input type="checkbox"/> <i>Solanum umbelliferum</i>	Blue Witch	Solan-	- - -	-	NP	Shrubland, mixed-evergreen forest, woodland (All year)	
<input type="checkbox"/> <i>Tamarix ramosissima</i>	Saltcedar	Tamaric-	- - -	H	ZP	Common. Washes, streambanks (Apr–Aug)	
<input type="checkbox"/> <i>Tamarix sp.</i>	Tamarisk	Tamaric-	- - -	-	ZP		
<input type="checkbox"/> <i>Toxicodendron diversilobum</i>	Western Poison Oak	Anacardi-	- - -	-	NP	Canyons, slopes, chaparral, coastal scrub, oak woodland (Apr–Jun)	
<input type="checkbox"/> <i>Umbellularia californica</i>	California Bay	Laur-	- - -	-	NP	Common. Canyons, valleys, chaparral (Nov–May)	

East Bay Regional Park District

Wild Plant Name Changes

JM93 Scientific Name (JM2 name changes)

Acer negundo var. *californicum* (no var.)

Adenostoma fasciculatum (var. *fasciculatum*)

Agoseris grandiflora (var. *grandiflora*)

Agoseris heterophylla (var. *cryptopleura*)

Agrostis viridis (*Polypogon*)

Alisma plantago-aquatica (*A. triviale*)

Amsinckia menziesii var. *intermedia* (*A. intermedia*)

Amsinckia menziesii var. *menziesii* (no var.)

Antirrhinum vexillo-calyculatum ssp. *vexillo-calyculatum* (*A. vexillocalyculatum* subsp. *vexillocalyculatum*)

Arabis breweri var. *breweri* (*Boechera breweri* subsp. *breweri*)

Arabis glabra var. *glabra* (*Turritis glabra*)

Arctostaphylos tomentosa ssp. *crustacea* (*A. crustacea* subsp. *crustacea*)

Aster chilensis (*Symphyotrichum chilense*)

Aster lentus (*Symphyotrichum lentum*)

Aster radulinus (*Eurybia radulina*)

Aster subulatus var. *ligulatus* (*Symphyotrichum subulatum* var. *parviflorum*)

Atriplex joaquiniana (*A. joaquinana*)

Atriplex lentiformis ssp. *lentiformis* (no subsp.)

Atriplex triangularis (*A. prostrata*)

Azolla mexicana (*A. microphylla*)

Baccharis douglasii (*B. glutinosa*)

Baccharis pilularis (subsp. *consanguinea*)

Baccharis salicifolia (subsp. *salicifolia*)

Balsamorhiza macrolepis var. *macrolepis* (no var.)

Blepharizonia plumosa ssp. *plumosa* (no subsp.)

Blepharizonia plumosa ssp. *viscida* (*Blepharizonia laxa*)

Boschniakia strobilacea (*Kopsiopsis*)

Bromus catharticus (var. *catharticus*)

Camissonia boothii ssp. *decorticans* (*Eremothera*)

Camissonia graciliflora (*Tetrapteron graciliflorum*)

Camissonia intermedia (*Camissoniopsis*)

Camissonia micrantha (*Camissoniopsis*)

Camissonia ovata (*Taraxia*)

Cardaria draba (*Lepidium*)

Carduus pycnocephalus (subsp. *pycnocephalus*)

Carex deweyana ssp. *leptopoda* (*C. leptopoda*)

Carex lanuginosa (*C. pellita*)

Carex ovalis (*C. leporina*)

Ceanothus thyrsoiflorus (var. *thyrsoiflorus*)

Centaurium davyi (*Zeltnera*)

Centaurium muehlenbergii (*Zeltnera*)

Cephalanthus occidentalis var. *californicus* (no var.)

Chamomilla suaveolens (*Matricaria discoidea*)

Chenopodium ambrosioides (*Dysphania*)

Chenopodium macrospermum var. *halophilum* (no var.)

Chenopodium multifidum (*Dysphania multifida*)

Chenopodium rubrum (var. *rubrum*)

Chrysothamnus nauseosus ssp. *mohavensis* (*Ericameria nauseosa* var. *mohavensis*)

Cirsium cymosum (var. *cymosum*)

Claytonia parviflora ssp. *parviflora* (subsp. *utahensis*)

Collinsia bartsifolia var. *davidsonii* (var. *stricta*)

Collinsia heterophylla (var. *heterophylla*)

Conyza bilbaoana (*Erigeron sumatrensis*)

Conyza bonariensis (*Erigeron*)

Conyza canadensis (*Erigeron*)

Conyza coulteri (*Laennecia*)

Corallorhiza maculata (var. *maculata*)

Cordylanthus mollis ssp. *mollis* (*Chloropyron molle* subsp. *molle*)

Coronopus didymus (*Lepidium didymum*)

Corylus cornuta var. *californica* (subsp. *californica*)

Cotoneaster pannosa (*C. pannosus*)

Cryptantha decipiens (*C. rattanii*)

Cryptantha intermedia (var. *intermedia*)

Cryptantha muricata (var. *muricata*)

Cryptantha torreyana (var. *pumila*)

Cupressus macrocarpa (*Hesperocyparis*)

Cuscuta salina var. *major* (*C. pacifica* var. *pacifica*)

Cynara cardunculus (subsp. *flavescens*)

Danthonia californica var. *californica* (no var.)

Dicentra chrysantha (*Ehrendorferia*)

Disporum hookeri (*Prosartes*)

Disporum smithii (*Prosartes*)

Draba cuneifolia var. *integrifolia* (no var.)

Duchesnea indica (no var.)

Epilobium pygmaeum (*E. campestre*)

Eragrostis curvula var. *curvula* (no var.)

Erechtites glomerata (*Senecio glomeratus*)

Erechtites minima (*Senecio minimus*)

Eremocarpus setigerus (*Croton*)

Erigeron philadelphicus (var. *philadelphicus*)

Eriogonum umbellatum var. *bahiiforme* (var. *smallianum*)

Eriophyllum lanatum var. *achillaeoides* (var. *achilleoides*)

Eryngium aristulatum var. *aristulatum* (*E. jepsonii*)

East Bay Regional Park District

Wild Plant Name Changes

JM93 Scientific Name (JM2 name changes)

Erysimum capitatum var. *angustatum* (var. *capitatum*)

Filago californica (*Logfia filaginoides*)

Filago gallica (*Logfia*)

Fritillaria affinis var. *affinis* (no var.)

Galium trifidum var. *pacificum* (subsp. *columbianum*)

Gastridium ventricosum (*G. phleoides*)

Gnaphalium bicolor (*Pseudognaphalium biolettii*)

Gnaphalium californicum (*Pseudognaphalium*)

Gnaphalium canescens ssp. *beneolens*
(*Pseudognaphalium beneolens*)

Gnaphalium canescens ssp. *microcephalum*
(*Pseudognaphalium microcephalum*)

Gnaphalium luteo-album (*Pseudognaphalium luteoalbum*)

Gnaphalium purpureum (*Gamochaeta ustulata*)

Gnaphalium ramosissimum (*Pseudognaphalium*)

Gnaphalium stramineum (*Pseudognaphalium*)

Grindelia camporum var. *camporum* (no var.)

Grindelia hirsutula var. *davyi* (*G. camporum*)

Grindelia hirsutula var. *hirsutula* (no var.)

Guillenia flavescens (*Caulanthus*)

Guillenia lasiophylla (*Caulanthus lasiophyllus*)

Hedera helix ssp. *helix* (no subsp.)

Heliotropium curassavicum (var. *oculatum*)

Hemizonia congesta ssp. *congesta* (subsp. *lutescens*)

Hemizonia corymbosa ssp. *corymbosa* (*Deinandra corymbosa*)

Hemizonia fitchii (*Centromadia*)

Hemizonia lobbii (*Deinandra*)

Hemizonia parryi ssp. *congdonii* (*Centromadia*)

Hemizonia parryi ssp. *parryi* (*Centromadia*)

Hemizonia pungens ssp. *maritima* (*Centromadia pungens* subsp. *pungens*)

Hemizonia pungens ssp. *pungens* (*Centromadia*)

Heracleum lanatum (*H. maximum*)

Herniaria hirsuta ssp. *cinerea* (var. *cinerea*)

Holodiscus discolor (var. *discolor*)

Hordeum jubatum (subsp. *jubatum*)

Horkelia californica ssp. *californica* (var. *californica*)

Horkelia californica ssp. *dissita* (var. *elata*)

Horkelia californica ssp. *frondosa* (var. *frondosa*)

Isopyrum occidentale (*Enemion*)

Iva axillaris ssp. *robustior* (no subsp.)

Juglans californica var. *hindsii* (*J. hindsii*)

Juncus balticus (subsp. *ater*)

Juncus effusus var. *pacificus* (subsp. *pacificus*)

Juncus lesueurii (*J. lescurii*)

Koeleria phleoides (*K. gerardii*)

Lagophylla ramosissima ssp. *ramosissima* (no subsp.)

Lasthenia californica (subsp. *californica*)

Lavatera cretica (*Malva pseudolavatera*)

Lepidium dictyotum var. *dictyotum* (no var.)

Lepidium latipes var. *latipes* (no var.)

Lepidium nitidum var. *nitidum* (no var.)

Lepidium nitidum var. *oreganum* (no var.)

Leptochloa fascicularis (*L. fusca* subsp. *fascicularis*)

Lessingia filaginifolia var. *californica* (*Corethrogyne filaginifolia*)

Lessingia filaginifolia var. *filaginifolia*
(*Corethrogyne filaginifolia*)

Lewisia rediviva (var. *rediviva*)

Leymus condensatus (*Elymus*)

Leymus triticoides (*Elymus*)

Lilaea scilloides (*Triglochin*)

Limosella subulata (*Limosella australis*)

Linanthus acicularis (*Leptosiphon*)

Linanthus ambiguus (*Leptosiphon*)

Linanthus androsaceus (*Leptosiphon*)

Linanthus bicolor (*Leptosiphon*)

Linanthus ciliatus (*Leptosiphon*)

Linanthus dichotomus (*Linanthus dichotomus* subsp. *dichotomus* or *meridianus*)

Linanthus dichotomus (*Linanthus dichotomus* subsp. *dichotomus* or *meridianus*)

Linanthus parviflorus (*Leptosiphon*)

Linaria canadensis (*Nuttallanthus texanus*)

Lolium multiflorum (*Festuca perennis*)

Lolium perenne (*Festuca perennis*)

Lolium temulentum (*Festuca temulenta*)

Lonicera hispidula var. *vacillans* (no var.)

Lotus humistratus (*Acmispon brachycarpus*)

Lotus micranthus (*Acmispon parviflorus*)

Lotus purshianus var. *purshianus* (*Acmispon americanus* var. *americanus*)

Lotus scoparius var. *scoparius* (*Acmispon glaber* var. *glaber*)

Lotus strigosus (*Acmispon*)

Lotus wrangelianus (*Acmispon*)

Luzula comosa (var. *comosa*)

Madia madioides (*Anisocarpus*)

Malacothamnus fasciculatus (var. *nuttallii*)

Marah fabaceus (*M. fabacea*)

Marah oreganus (*M. oregana*)

East Bay Regional Park District

Wild Plant Name Changes

JM93 Scientific Name (JM2 name changes)

Melilotus alba (*M. albus*)

Melilotus indica (*M. indicus*)

Mentha spicata var. *spicata* (no var.)

Mimulus aurantiacus (var. *aurantiacus*)

Mirabilis californica (*M. laevis* var. *crassifolia*)

Monardella antonina ssp. *antonina* (*M. villosa* subsp. *villosa*)

Monardella douglasii ssp. *douglasii* (no subsp.)

Monardella villosa ssp. *globosa* (subsp. *villosa*)

Montia fontana ssp. *chondrosperma* (no subsp.)

Myrica californica (*Morella*)

Nassella cernua (*Stipa*)

Nassella lepida (*Stipa*)

Nassella pulchra (*Stipa*)

Osmorhiza chilensis (*O. berteroi*)

Oxalis albicans ssp. *pilosa* (*O. pilosa*)

Parvisedum pentandrum (*Sedella pentandra*)

Phacelia ramosissima var. *latifolia* (no var.)

Phacelia ramosissima var. *ramosissima* (no var.)

Phlox gracilis (*Microsteris*)

Phoradendron macrophyllum (*P. serotinum* subsp. *macrophyllum*)

Phoradendron villosum (*P. serotinum* subsp. *tomentosum*)

Phyla nodiflora var. *incisa* (no var.)

Phyla nodiflora var. *nodiflora* (no var.)

Picris echioides (*Helminthotheca*)

Piperia elegans (subsp. *elegans*)

Piptatherum miliaceum (*Stipa miliacea* var. *miliacea*)

Plagiobothrys canescens (var. *canescens*)

Plagiobothrys fulvus (var. *campestris*)

Plectritis brachystemon (*P. congesta* subsp. *brachystemon*)

Plectritis ciliosa ssp. *ciliosa* (no subsp.)

Plectritis ciliosa ssp. *insignis* (no subsp.)

Plectritis congesta (subsp. *congesta*)

Pleuropogon californicus (var. *californicus*)

Pluchea odorata (var. *odorata*)

Poa bulbosa (subsp. *vivipara*)

Polygonum amphibium var. *emersum* (*Persicaria* *amphibia*)

Polygonum amphibium var. *stipulaceum* (*Persicaria* *amphibia*)

Polygonum arenastrum (*P. aviculare* subsp. *depressum*)

Polygonum hydropiperoides (*Persicaria*)

Polygonum lapathifolium (*Persicaria lapathifolia*)

Polygonum persicaria (*Persicaria maculosa*)

Polygonum punctatum (*Persicaria punctata*)

Populus balsamifera ssp. *trichocarpa* (*P. trichocarpa*)

Potamogeton pectinatus (*Stuckenia pectinata*)

Potentilla glandulosa ssp. *glandulosa* (*Drymocallis glandulosa* var. *glandulosa*)

Psilocarphus tenellus var. *tenellus* (no var.)

Ranunculus aquatilis var. *capillaceus* (var. *diffusus*)

Ranunculus californicus (var. *californicus*)

Ranunculus canus (var. *canus*)

Ranunculus occidentalis (var. *occidentalis*)

Ranunculus sceleratus (var. *sceleratus*)

Rhamnus californica ssp. *californica* (*Frangula*)

Rhamnus tomentella ssp. *tomentella* (*Frangula californica* subsp. *tomentella*)

Rhus trilobata (*R. aromatica*)

Ribes menziesii (var. *menziesii*)

Rorippa nasturtium-aquaticum (*Nasturtium officinale*)

Rorippa palustris var. *occidentalis* (subsp. *palustris*)

Rosa gymnocarpa (var. *gymnocarpa*)

Rubus discolor (*R. armeniacus*)

Rumex maritimus (*R. fueginus*)

Rumex salicifolius var. *crassus* (*R. crassus*)

Rumex salicifolius var. *salicifolius* (no var.)

Rumex salicifolius var. *transitorius* (*R. transitorius*)

Salicornia europaea (*S. depressa*)

Salicornia subterminalis (*Arthrocnemum subterminale*)

Salicornia virginica (*S. pacifica*)

Salix exigua (var. *hindsiana*)

Salix lucida ssp. *lasiandra* (*Salix lasiandra* var. *lasiandra*)

Sambucus mexicana (*S. nigra* subsp. *caerulea*)

Satureja douglasii (*Clinopodium*)

Saxifraga californica (*Micranthes*)

Scirpus acutus var. *occidentalis* (*Schoenoplectus*)

Scirpus americanus (*Schoenoplectus*)

Scirpus californicus (*Schoenoplectus*)

Scirpus cernuus (*Isolepis*)

Scirpus maritimus (*Bolboschoenus maritimus* subsp. *paludosus*)

Scirpus robustus (*Bolboschoenus*)

Scrophularia californica ssp. *californica* (no subsp.)

Scrophularia californica ssp. *floribunda* (no subsp.)

Senecio breweri (*Packera*)

Senecio mikanioides (*Delairea odorata*)

Silene californica (*S. laciniata* subsp. *californica*)

East Bay Regional Park District

Wild Plant Name Changes

JM93 Scientific Name (JM2 name changes)

Smilacina racemosa (*Maianthemum racemosum*)

Smilacina stellata (*Maianthemum stellatum*)

Solidago californica (*S. velutina* subsp. *californica*)

Solidago canadensis ssp. *elongata* (*S. elongata*)

Sparganium erectum ssp. *stoloniferum* (*S. eurycarpum* var. *greenii*)

Sparganium eurycarpum ssp. *eurycarpum* (var. *eurycarpum*)

Spergula arvensis ssp. *arvensis* (no subsp.)

Spergularia media (var. *media*)

Stachys ajugoides var. *ajugoides* (no var.)

Stachys ajugoides var. *rigida* (*Stachys rigida* var. *quercetorum*)

Streptanthus albidus ssp. *peramoenus* (*S. glandulosus* subsp. *glandulosus*)

Stylomecon heterophylla (*Papaver heterophyllum*)

Taeniatherum caput-medusae (*Elymus*)

Thysanocarpus laciniatus (var. *laciniatus*)

Tolmiea menziesii (*T. diplomenziesii*)

Trifolium albopurpureum var. *albopurpureum* (no var.)

Trifolium albopurpureum var. *dichotomum* (*T. dichotomum*)

Trifolium albopurpureum var. *olivaceum* (*T. olivaceum*)

Trifolium barbigerum var. *andrewsii* (*T. grayi*)

Trifolium barbigerum var. *barbigerum* (no var.)

Trifolium gracilentum var. *gracilentum* (no var.)

Vicia americana var. *americana* (subsp. *americana*)

Vicia ludoviciana var. *ludoviciana* (subsp. *ludoviciana*)

Viola adunca (var. *adunca*)

Vulpia bromoides (*Festuca*)

Vulpia microstachys var. *ciliata* (*Festuca microstachys*)

Vulpia microstachys var. *confusa* (*Festuca microstachys*)

Vulpia microstachys var. *microstachys* (*Festuca microstachys*)

Vulpia microstachys var. *pauciflora* (*Festuca microstachys*)

Vulpia myuros var. *hirsuta* (*Festuca myuros*)

Vulpia myuros var. *myuros* (*Festuca myuros*)

Vulpia octoflora var. *hirtella* (*Festuca octoflora*)

Vulpia octoflora var. *octoflora* (*Festuca octoflora*)

Zigadenus fremontii (*Toxicoscordion*)