



### Trail Uses



Dogs



Equestrian



Bicycling



No Motorized Vehicles



Hiking

### Hazards and Obstructions



Rocks  
7 in.



Ruts  
6 in.

## West Ridge Trail

Redwood Regional Park

### Trail Length 2 mi (3.1 km)

#### Network trail

With a mixture of beautiful panoramic views and woods filled with Redwoods, this trail is a great trail to find some peace away from the hustle and bustle.

Cumulative Gain 411 ft (125 m)  
Elevation Change Loss 166 ft (51 m)




#### Typical Grade is 5.6%

14% of the trail is between 12% and 26%  
862 ft (263 m) is between 16% and 26%  
8% grade is a standard ramp.



#### Typical Cross Slope is 6.3%

13% of the trail is between 12% and 27%  
646 ft (197 m) is between 16% and 27%



#### Typical Tread Width is 115 in (292 cm)

Tread Width ranges from 18 in (46 cm) to 108 in (2744 cm)  
Minimum Clearance 48 in (122 cm)



#### Trail Surface is Soil

100% of the trail is Firm or better  
0 ft (0 m) of the trail is Soft or worse

#### Trailhead Location

This trail begins at the Skyline Gate off of Redwood Road.



### Trail Access Information

Warning: Trail conditions may have changed since this trail was assessed. Temporary obstructions (e.g. fallen trees or landslides) may not have been mapped. Maximum grades and cross slopes may vary.

Obstructions less than 2.0 in (5.0 cm) or outside the tread area 120 in (3 m) wide by 120 in (3 m) high were not measured. Minimum clearance boundaries were at least 20 in (50 cm) high.

This report has been generated by TrailWare which has been created by Beneficial Designs, Inc.

# West Ridge Trail

---

Length 2 mi (3.1 km)

Network trail

---



Dogs



Equestrian



Bicycling

---



Typical Grade 5.6%

---

14% of the trail is

12% to 26%

---

862 ft (263 m) is 16% to 26%  
8% grade is a standard ramp.

---



Typical Cross Slope 6.3%

---

13% of the trail is

12% to 27%

---

646 ft (197 m) is 16% to 27%

---



Typical Tread Width

115 in (292 cm)

---

Minimum 18 in (46 cm)

Maximum 1080 in (2744 cm)

Minimum Clearance 48 in (122 cm)

---



Soil

---

100% is Firm or better

---

0 ft (0 m) is Softer or worse

---



Rocks 7 in.



Ruts 6 in.

---



Trail Access  
Information



Warning: Trail conditions may have changed since this trail was assessed. Temporary obstructions (e.g. fallen trees or landslides) may not have been mapped. Maximum grades and cross slopes may vary.

This report is generated by TrailWare which has been created by Beneficial Designs Inc.

Aug 26, 05

# West Ridge Trail

## Redwood Regional Park

### Trail Access Information Summary

First Segment Assessed

page 1

Aug 8, 05

Last Segment Assessed

Aug 9, 05

## Trail Length 2 mi (3.1 km)

### Network trail

#### Cumulative Elevation Change

Gain 411 ft (125 m)

Loss 166 ft (51 m)

---

#### Typical Grade is 5.6%

14% of the trail is between 12% and 26%

862 ft (263 m) is between 16% and 26%

8% grade is a standard ramp.

Locations and lengths can be found on the Maximum Grade Table Reports

---

#### Typical Cross Slope is 6.3%

13% of the trail is between 12% and 27%

646 ft (197 m) is between 16% and 27%

Locations and lengths can be found on the Maximum X-Slope Table Reports

---

#### Typical Tread Width is 115 in (292 cm)

Tread Width ranges from 18 in (46 cm) to 1080 in (274.4 cm)

**Minimum Clearance Width is 48 in (122 cm)**

Locations and lengths can be found on the Minimum Tread Width Table and Minimum Clearance Width Reports

---

#### Trail Surface is Soil

100% of the trail is Firm or better

0 ft (0 m) of the trail is Soft or worse

Length of trail can be found on the Surface Type Table and Surface Category Table Reports.

---

#### Obstructions

Rocks 7 in.

Ruts 6 in.

Locations and lengths can be found on the Minimum Vertical and Maximum Tread Obstructions Reports

---

#### Trail Uses

Dogs

Equestrian

Bicycling

---

Warning: Trail conditions may have changed since this trail was assessed. Temporary obstructions (e.g. fallen trees or land slides) may not have been mapped. Maximum grades and cross slopes may vary. Obstructions less than 2.0 in (5.0 cm) or outside of the tread area a 120 in (3 m) wide by 120 in (3 m) high were not measured. Minimum clearance boundaries were at least 2.0 in (5.0 cm) high.