



### Trail Uses



Bicycling



No Equestrians



No Dogs



Hiking



No Motorized Vehicles

# Chuchenyo Loop

Coyote Hills

## Trail Length 0.5 mi (0.8 km)

### Loop trail

This trail is a short extension of the Chuchenyo trail. It is a beautiful loop surrounded by cattails. This trail circles around an old Ohloné Shellmound.

Cumulative	Gain 0 ft (0 m)
Elevation Change	Loss 2 ft (0 m)



### Typical Grade is 0.1%

100% of the trail is between 0% and 1%  
0 ft (0 m) is between 3% and 1%  
8% grade is a standard ramp.



### Typical Cross Slope is 1.9%

2% of the trail is between 5% and 6%  
53 ft (16 m) is between 5% and 6%



### Typical Tread Width is 106 in (269 cm)

Tread Width ranges from 96 in (244 cm) to 120 in (305 cm)



### Trail Surface is Aggregate/Gravel

93% of the trail is Firm or better  
200 ft (61 m) of the trail is Soft or worse

### Trailhead Location

This trailhead is along the Chuchenyo trail.



### Trail Access Information

Warning: Trail conditions may have changed since this trail was assessed. Temporary obstructions (e.g. fallen trees or landslides) may not have been mapped. Maximum grades and cross slopes may vary.

Obstructions less than 2.0 in (5.0 cm) or outside the tread area 120 in (3 m) wide by 120 in (3 m) high were not measured. Minimum clearance boundaries were at least 20 in (50 cm) high.

This report has been generated by TrailWare which has been created by Beneficial Designs, Inc.

# Chuchenyo Loop

---

Length 0.5 mi (0.8 km)

Loop trail

---



Bicycling



No Equestrians



No Dogs

---



Typical Grade 0.1%

---

100% of the trail is  
0% to 1%

---

0 ft (0 m) is 3% to 1%  
8% grade is a standard ramp.

---



Typical Cross Slope 1.9%

---

2% of the trail is  
5% to 6%

---

53 ft (16 m) is 5% to 6%

---



Typical Tread Width  
106 in (269 cm)

---

Minimum 96 in (244 cm)

Maximum 120 in (305 cm)

---



Aggregate/Gravel

---

93% is Firm or better

---

200 ft (61 m) is Soft or worse

---



Trail Access  
Information



Warning: Trail conditions may have changed since this trail was assessed. Temporary obstructions (e.g. fallen trees or landslides) may not have been mapped. Maximum grades and cross slopes may vary.

This report is generated by TrailWare which has been created by Beneficial Designs Inc.

Aug 26, 05

# Chuchenyo Loop

## Coyote Hills

### Trail Access Information Summary

## Trail Length 0.5 mi (0.8 km)

### Loop trail

First Segment Assessed

page 1

Jul 28, 05

Last Segment Assessed

Jul 28, 05

#### Cumulative Elevation Change

Gain 0 ft (0 m)

Loss 2 ft (0 m)

---

#### Typical Grade is 0.1%

100% of the trail is between 0% and 1%

0 ft (0 m) is between 3% and 1%

8% grade is a standard ramp.

Locations and lengths can be found on the Maximum Grade Table Reports

---

#### Typical Cross Slope is 1.9%

2% of the trail is between 5% and 6%

53 ft (16 m) is between 5% and 6%

Locations and lengths can be found on the Maximum X-Slope Table Reports

---

#### Typical Tread Width is 106 in (269 cm)

Tread Width ranges from 96 in (244 cm) to 120 in (305 cm)

Locations and lengths can be found on the Minimum Tread Width Table and Minimum Clearance Width Reports

---

#### Trail Surface is Aggregate/Gravel

93% of the trail is Firm or better

200 ft (61 m) of the trail is Soft or worse

Length of trail can be found on the Surface Type Table and Surface Category Table Reports.

---

#### Obstructions

Locations and lengths can be found on the Minimum Vertical and Maximum Tread Obstructions Reports

---

#### Trail Uses

Bicycling

No Equestrians

No Dogs

---

Warning: Trail conditions may have changed since this trail was assessed. Temporary obstructions (e.g. fallen trees or landslides) may not have been mapped. Maximum grades and cross slopes may vary. Obstructions less than 2.0 in (5.0 cm) or outside of the tread area 120 in (3 m) wide by 120 in (3 m) high were not measured. Minimum clearance boundaries were at least 2.0 in (5.0 cm) high.